

Lenovo IdeaPad Y430



Lenovo IdeaPad Y430



Lenovo IdeaPad Y430



Lenovo IdeaPad Y430



Lenovo IdeaPad Y430



Lenovo IdeaPad Y430

	Type-model	Processor	GHz	Memory	Widescreen display	CCFL or LED	Cam- era	Integrated graphics	SATA disk	SATA optical	Mini PCle 802.11 wireless	Top color	ENERGY STAR 4.0	Vista preload	Avail date
	2781-74U	T3200	2.00	2GB	14.1" WXGA		Cam	GMA	250GB8	DVD±RW	Intel 5100 ²⁸	Black		Prem 32	Nov 08
138	2781-82U	T3400	2.16	2GB	14.1" WXGA	LED	Cam	GMA	160GB	DVD±RW	* Intel 5100	Black		Prem 32	Feb 09
138	2781-83U	T3400	2.16	2GB	14.1" WXGA	LED	Cam	GMA	320GB	DVD±RW	★ Intel 5100	Black		Prem 32	Feb 09
137	2781-84U	T3400	2.16	3GB	14.1" WXGA	LED	Cam	GMA	320GB	DVD±RW	* Intel 5100	Black		Prem 32	Feb 09
	2781-73U	T5800	2.00	3GB	14.1" WXGA		Cam	GMA	250GB	DVD±RW	* Intel 5100	Black	ES40	Prem 32	Sep 08
137	2781-86U	T6400	2.00	3GB	14.1" WXGA	LED	Cam	GMA	320GB	DVD±RW	★ Intel 5100	Black	ES40	Prem 32	Feb 09
	2781-7AU	T6400	2.00	4GB	14.1" WXGA	LED	Cam	GMA	250GB	DVD±RW	* Intel 5100	Black	ES40	Prem 64	Jan 09
137	2781-87U	T6400	2.00	4GB	14.1" WXGA	LED	Cam	GMA	320GB	DVD±RW	★ Intel 5100	Black	ES40	Prem 64	Feb 09

- 14.1" widescreen, glossy displayLight Weave textured cover
- Integrated 1.3 megapixel camera and Lenovo's VeriFace face recognition software helps control access to your notebook by recognizing your face.
- Dolby® Home Theater® premium audio system with two speakers and one subwoofer
 HDMI port, HDCP-compliant
- Lenovo Rescue System provides OneKey recovery and OneKey Antivirus without booting into Windows
- OneKey silence mode provides quieter operation through a touch-sensitive control button

Positioning Processor	Widescreen flexibility; two-spindle Intel® Pentium® dual-core processor T3200 or T3400 with dual-core, 667MHz system bus, and 1MB L2 cache or Intel Core™ 2 Duo processor T5800 or T6400 with dual-core, 800MHz system bus, and 2MB L2 cache	Preloaded operating system ²⁰ - Some: Microsoft® Windows® Vista® Home Premium Editon (32-bit) - Some: Microsoft® Windows® Vista®
Memory	2GB, 3GB, or 4GB std / 4GB max ⁷ ; Italics: standard memory in both sockets; no sockets available 73U/74U: PC2-5300 667MHz DDR2, non-parity, dual-channel capable, two 200-pin SO-DIMM sockets; Others: PC3-8500 1066MHz DDR3, non-parity, dual-channel capable, two 204-pin SO-DIMM sockets	Home Premium Editon (64-bit) ⇒ Vista Premium logo Preloaded applications¹⁴ (only some listed) • Lenovo™ OneKey Recovery
Diskette drive SATA DVD±RW SATA disk	None (use optional USB-based diskette drive) DVD burner, dual-layer support, fixed, not removable, 12.7mm high, tray-in 160GB (5400 rpm), 250GB (5400 rpm), or 320GB (5400 rpm) / SATA 3.0Gb/s, 9.5mm high, removable	 Lenovo ReadyComm Norton Internet Security™ (90 days of virus definitions) Adobe® Reader
Widescreen display Camera	14.1" (358.1mm) WXGA (1280x800) TFT color, VibrantView (glossy), Some: CCFL backlight, 200 nits, 16:10 aspect ratio, 400:1 contrast ratio Some: LED backlight, 200 nits, 16:10 aspect ratio, 400:1 contrast ratio Camera on top of screen, 1.3-megapixel, fixed focus	 Windows Live™ Toolbar Easy Capture Microsoft Office 2007 Trial (60-day) Carbonite Online Backup VeriFace™ Facial Recognition
Integrated graphics	Intel Graphics Media Accelerator 4500MHD (GMA 4500MHD), in GM45, HDMI port supporting HDCP to output protected content	Lenovo Energy Management Software
Keyboard Multimedia control Touch pad	Full-size keyboard, 6-row, 84-key, multimedia Fn keys, recovery key sTouch-sensitive audio-video control panel, Shuttle Key Two-button touch pad with scroll feature (no TrackPoint®)	Cyberlink Power2Go (DVD±RW)
Dimensions ³ Weight ² Case color Case material Battery - type Battery - life ¹⁰	(WxDxH): 13.1" x 9.5" x 1.0" to 1.5"; 334mm x 241mm x 26 to 38mm with optical drive and battery: 6-cell: 5.2 lb (2.35 kg) Black top, black bottom Polycarbonate/Acrylonitrile-Butadiene-Styrene (PC/ABS) plastic Lithium lon 6-cell, 5200 mAH, smart battery Up to 5 hr	Available at these retailers • lenovo.com • Circuit City®
Chipset ExpressCard/54	Mobile Intel GM45 Express Chipset (Memory Controller Hub), ICH9M I/O Controller Hub (SATA 3.0Gb/s, USB 2.0, PCI Express® 1.1, PCI 2.3, ethernet MAC) One slot (ExpressCard/34, ExpressCard/54)	65-watt AC adapter Wireless on/off switch Some: ENERGY STAR® 4.0-compliant RoHS-compliant
Multicard reader Ports	6-in-1 reader (MultiMedia Card, Memory Stick, Memory Stick PRO™, Secure Digital Card, Secure Digital Elite Pro Card, xD-Picture Card™) Three USB 2.0, external monitor (VGA DB-15, HDMI), modem (RJ-11), ethernet (RJ-45), IEEE 1394 FireWire 400 (4-pin connector; 1394a-2000 standard)	Limited Warranty¹²
TV tuner Mini PCI Express Intel 5100 ²⁸ Bluetooth™ Modem Ethernet Audio support Security Fingerprint reader	None Two Mini PCI Express slots 11a/b/g/n wireless⁴, Mini PCIe adapter, Intel WiFi Link 5100, 1x2 (Shirley Peak) None 56K V.92⁶ modem 10/100 ethernet, Broadcom® BCM5906M, PCI 2.3 High Definition (HD) Audio, Conexant 20561 codec / two main speakers (2 watt) and subwoofer (2.5 watt), Dolby® Home Theater™ Speaker System / dual array microphone, microphone input jack (3.5 mm), headphone jack (3.5 mm) Power-on password, hard disk password, supervisor password, security lockhole, VeriFace face recognition software	Service upgrade options (in eligible locations): • 1-year accidental damage protection via depot 43R8885 • 3-year Lenovo Onsite Repair ¹³ 9x5 Next Business Day 43R8883 • 3-year Lenovo Onsite Repair ¹³ 9x5 Next Business Day with accidental damage protection 43R8884 2 24x7 ¹⁶ toll-free support for warranty issues during the warranty period ¹² via 877-453-6686

Type-model	Processor	GHz	Memory	Widescreen	CCFL or LED	Cam- era	Discrete graphics	SATA disk	SATA optical	Mini PCle 802.11 wireless	Top color	ENERGY STAR 4.0	Vista preload	Avail date
2781-89U	P7450	2 13	4GB	14.1" WXGA	LED	Cam	9300M GS	320GB8	DVD+RW	-!- Intel 510028	Black	FS40	Prem 64	Feb 09

- 14.1" widescreen, glossy display
- Light Weave textured cover
- Integrated 1.3 megapixel camera and Lenovo's VeriFace face recognition software helps control access to your notebook by recognizing your face.
- Dolby® Home Theater® premium audio system with two speakers and one subwoofer
- HDMI port, HDCP-compliant
- Lenovo Rescue System provides OneKey recovery and OneKey Antivirus without booting into Windows
- OneKey silence mode provides quieter operation through a touch-sensitive control button

Positioning Processor	Widescreen flexibility; two-spindle Intel® Core™ 2 Duo processor P7450 with dual-core, Intel HD Boost, 1066MHz system bus, and 3MB L2 cache	Preloaded operating system ²⁰ - Microsoft® Windows® Vista® Home Premium Editon (64-bit)
Memory	4GB std / 4GB max ⁷ / PC3-8500 1066MHz DDR3 , non-parity, dual-channel capable, two 204-pin SO-DIMM sockets <i>Italics</i> : standard memory in both sockets; no sockets available	♦ Vista Premium logo Preloaded applications¹⁴ (only some listed)
Diskette drive SATA DVD±RW SATA disk	None (use optional USB-based diskette drive) DVD burner, dual-layer support, fixed, not removable, 12.7mm high, tray-in 320GB (5400 rpm) / SATA 3.0Gb/s, 9.5mm high, removable	Lenovo [™] OneKey Recovery Lenovo ReadyComm Norton Internet Security [™]
Widescreen display Camera	14.1" (358.1mm) WXGA (1280x800) TFT color, VibrantView (glossy), LED backlight, 200 nits, 16:10 aspect ratio, 400:1 contrast ratio Camera on top of screen, 1.3-megapixel, fixed focus	(90 days of virus definitions) • Adobe® Reader • Windows Live™ Toolbar • Easy Capture
Discrete graphics	NVIDIA® GeForce® 9300M GS, PCI Express® x16, 256MB memory, DirectX® 10, PureVideo® HD technology, VGA, HDMI, HDCP-compliant	Microsoft Office 2007 Trial (60-day)Carbonite Online Backup
Keyboard Multimedia control Touch pad	Full-size keyboard, 6-row, 84-key, multimedia Fn keys, recovery key sTouch-sensitive audio-video control panel, Shuttle Key Two-button touch pad with scroll feature (no TrackPoint®)	VeriFace™ Facial Recognition Lenovo Energy Management Software Cybedials Reverace (DVD PM)
Dimensions ³ Weight ² Case color	(WxDxH): 13.1" x 9.5" x 1.0" to 1.5"; 334mm x 241mm x 26 to 38mm with optical drive and battery: 6-cell: 5.2 lb (2.35 kg) Black top, black bottom	Cyberlink Power2Go (DVD±RW)
Case material Battery - type Battery - life ¹⁰	Polycarbonate/Acrylonitrile-Butadiene-Styrene (PC/ABS) plastic Lithium Ion 6-cell , 5200 mAH, smart battery Up to 3.5 hr	Available at these retailers • lenovo.com
Chipset ExpressCard/54 Multicard reader	Mobile Intel PM45 Express Chipset (Memory Controller Hub), ICH9M I/O Controller Hub (SATA 3.0Gb/s, USB 2.0, PCI Express® 1.1, PCI 2.3, ethernet MAC) One slot (ExpressCard/34, ExpressCard/54) 6-in-1 reader (MultiMedia Card, Memory Stick, Memory Stick PRO™,	90-watt AC adapter Wireless on/off switch ENERGY STAR® 4.0-compliant RoHS-compliant
Ports	Secure Digital Card, Secure Digital Elite Pro Card, xD-Picture Card™) Three USB 2.0, external monitor (VGA DB-15, HDMI), modem (RJ-11), ethernet (RJ-45), IEEE 1394 FireWire 400 (4-pin connector; 1394a-2000 standard)	Limited Warranty¹²
TV tuner Mini PCI Express Intel 5100 ²⁶ Bluetooth TM Modem Ethernet Audio support	None Two Mini PCI Express slots 11a/b/g/n wireless⁴, Mini PCIe adapter, Intel WiFi Link 5100, 1x2 (Shirley Peak) None 56K V.92 [®] modem 10/100 ethernet, Broadcom® BCM5906M, PCI 2.3 High Definition (HD) Audio, Conexant 20561 codec / two main speakers (2 watt) and subwoofer (2.5 watt), Dolby® Home Theater™ Speaker System / dual array microphone, microphone input jack (3.5 mm), headphone jack (3.5 mm)	 Service upgrade options (in eligible locations):⁹ 1-year accidental damage protection via depot 43R8885 3-year Lenovo Onsite Repair¹³ 9x5 Next Business Day 43R8883 3-year Lenovo Onsite Repair¹³ 9x5 Next Business Day with accidental damage protection 43R8884
Security Fingerprint reader	Power-on password, hard disk password, supervisor password, security lockhole, VeriFace face recognition software	24x7 ¹⁶ toll-free support for warranty issues during the warranty period ¹² via 877-453-6686
gorprint roddor		



Lenovo IdeaPad Y510



Lenovo IdeaPad Y510 with aluminum palm rest



Lenovo IdeaPad Y510



Lenovo IdeaPad Y510 with aluminum palm rest



Lenovo IdeaPad Y510



Lenovo IdeaPad Y510

	Type-model	lel Processor		Mini PCle Widescreen Cam- Graphics SATA EIDE 802.11 Hz Memory display era controller disk optical wireless		Blue- tooth	Vista preload	Avail date					
	7758-2AU	Pentium T2370	1.73	2GB	15.4" WXGA	Cam	GMA	120GB8	DVD±RW	Intel 11a/b/q11	None	Home Prem	May 08
	7758-2BU	Pentium T2370	1.73	2GB	15.4" WXGA	Cam	GMA	160GB	DVD±RW	Intel 11a/b/g	None	Home Prem	May 08
	7758-2CU	Core 2 Duo T5550	1.83	2GB	15.4" WXGA	Cam	GMA	160GB	DVD±RW	★ Intel 11a/b/g	None	Home Prem	May 08
rsp	7758-3AU	Pentium T2390	1.86	2GB	15.4" WXGA	Cam	GMA	160GB	DVD±RW	Intel 11a/b/g	None	Home Prem	Aug 08
B.	7758-3BU	Pentium T2390	1.86	2GB	15.4" WXGA	Cam	GMA	250GB	DVD±RW	Intel 11a/b/g	None	Home Prem	Aug 08
rs.	7758-3CU	Core 2 Duo T5750	2.00	2GB	15.4" WXGA	Cam	GMA	250GB	DVD±RW	★ Intel 11a/b/g	None	Home Prem	Aug 08

- 15.4" widescreen, glossy display
- Frameless screen (no plastic frame) to extend to the edges of the PC
 Light Weave textured cover
- Integrated 1.3 megapixel camera and Lenovo's VeriFace face recognition software helps control access to your notebook by recognizing your face.
- Dolby[®] Home Theater[™] premium audio system with four speakers and one subwoofer
- Shuttle Center offers a one-stop, total entertainment environment with Shuttle Key that puts volume and equalizer controls on the keyboard
- · One key system recovery

Positioning Processor	Widescreen flexibility; two-spindle Intel® Pentium® Dual-Core Processor T2370 or T2390 with dual-core, Intel 64 Technology, Enhanced Intel SpeedStep™ technology¹, Execute Disable Bit, 533MHz system bus, and 1MB L2 cache or Intel Core™ 2 Duo processor T5550 or T5750 with dual-core, Intel 64 Technology, Enhanced Intel SpeedStep technology, Execute Disable Bit, 667MHz system bus, and 2MB L2 cache	Preloaded operating system ²⁰ - Microsoft® Windows® Vista® Home Premium Edition (32-bit) ⇒ Vista Premium logo Preloaded applications¹⁴ • Lenovo™ OneKey Recovery • Lenovo Anycomm
Memory	2GB std / 4GB max ⁷ / PC2-5300 667MHz DDR2 , non-parity, dual-channel capable, two 200-pin SO-DIMM sockets; <i>Italics:</i> standard memory in both sockets; no sockets available	Norton® AntiVirus 2007 (90 days of virus definitions) Adobe® Reader
Diskette drive EIDE DVD±RW SATA disk	None (use optional USB-based diskette drive) DVD burner, dual-layer support, fixed, not removable, 12.7mm high, tray-in 120GB (5400 rpm), 160GB (5400 rpm), or 250GB (5400 rpm) / SATA 1.5Gb/s, 9.5mm high, removable	Windows Live™ Toolbar Easy Capture Microsoft Office 2007 Trial (60-day) VeriFace™ Facial Recognition
Widescreen display Camera	15.4" (391.2mm) WXGA (1280x800) TFT color, VibrantView (glossy), CCFL backlight, 200 nits, 16:10 aspect ratio, 300:1 contrast ratio, frameless screen Camera on top of screen, 1.3-megapixel, fixed focus	 EarthLink® Energy Cut Lenovo Shuttle Center (DVD±RW) Cyberlink Power2Go (DVD±RW)
Graphics	Intel Graphics Media Accelerator X3100, in GM965	
Keyboard Multimedia control Touch pad	Full-size keyboard, 6-row, 84-key, multimedia Fn keys sTouch-sensitive audio-video control panel, Shuttle Key Two-button touch pad with scroll feature (no TrackPoint®)	
Dimensions ³ Weight ² Case color Case material	(WxDxH): 14.2" x 10.3" x 1.2" to 1.4"; 360mm x 262mm x 29 to 36mm with optical drive and battery: 6-cell: 6.4 lb (2.91 kg) Black top, black bottom ABS plastic	
Battery - type Battery - life ¹⁰	Lithium Ion 6-cell , 5200 mAH, smart battery, 5-bar battery indicator Up to 4 hr	Available at these retailers lenovo.com
Chipset ExpressCard/54 Multicard reader Ports	Mobile Intel GM965 Express Chipset (Graphics Memory Controller Hub); ICH8M I/O Controller Hub (SATA 3.0Gb/s, ATA-100 EIDE, USB 2.0, PCI Express® 1.1, PCI 2.3), LPC bus One slot (ExpressCard/34, ExpressCard/54) 6-in-1 reader (MultiMedia Card, Memory Stick, Memory Stick PRO™, Secure Digital Card, Secure Digital Elite Pro Card, xD-Picture Card™) Three USB 2.0, external monitor (VGA DB-15), S-video, modem (RJ-11),	65-watt AC adapter Wireless on/off switch ENERGY STAR® 4.0-compliant RoHS-compliant Limited Warranty¹²
	ethernet (RJ-45), IEEE 1394 FireWire 400 (4-pin connector; 1394a-2000 standard)	
TV tuner Video out Mini PCI Express Intel 11a/b/g Bluetooth™ Modem Ethernet Audio support	None S-video out port (TV-out), one 7-pin industry standard connector Two Mini PCI Express slot 11a/b/g wireless ⁴ , Mini PCI Express adapter, Intel PRO/Wireless 3945ABG None 56K V.92 ⁶ modem 10/100 ethernet, Broadcom® BCM5906M, PCI 2.3 Intel High Definition (HD) Audio, RealTek® ALC882 codec / two main speakers (2 watt), two secondary speaker (1 watt) and subwoofer (2.5 watt), Dolby® Home Theater™ Speaker System / stereo microphone, microphone input jack (3.5 mm), stereo headphone jack (3.5 mm)	 Depot repair service¹⁵ Service upgrade options (in eligible locations):⁵ 1-year accidental damage protection via depot 43R8885 3-year Lenovo Onsite Repair¹³ 9x5 Next Business Day 43R8883 3-year Lenovo Onsite Repair¹³
Security Fingerprint reader	Power-on password, hard disk password, supervisor password, security lockhole, VeriFace face recognition software	24x7 ¹⁶ toll-free support for warranty issues during the warranty period ¹² via 877-453-6686

Type-model	Processor GHz I		Memory	Widescreen display	Cam- era	Graphics controller	SATA disk	EIDE optical	Mini PCle 802.11 wireless	Blue- tooth	Vista preload	Avail date
7758-2DU (Core 2 Duo T5550	1.83	2GB	15.4" WXGA	Cam	8600M GT	160GB8	DVD±RW	* Intel 11n ²⁸	Blue	Home Prem	May 08
7758-2EU (Core 2 Duo T5550	1.83	2GB	15.4" WXGA	Cam	8600M GT	250GB	DVD±RW	★ Intel 11n	Blue	Home Prem	May 08
7758-2FU (Core 2 Duo T5550	1.83	4GB	15.4" WXGA	Cam	8600M GT	250GB	DVD±RW	★ Intel 11n	Blue	Home Prem	May 08
☞ 7758-3DU (Core 2 Duo T5750	2.00	2GB	15.4" WXGA	Cam	8600M GT	250GB	DVD±RW	★ Intel 11n	Blue	Home Prem	Aug 08
☞ 7758-3EU (Core 2 Duo T5750	2.00	2GB	15.4" WXGA	Cam	8600M GT	320GB	DVD±RW	★ Intel 11n	Blue	Home Prem	Aug 08
☞ 7758-3FU (Core 2 Duo T5750	2.00	4GB	15.4" WXGA	Cam	8600M GT	320GB	DVD±RW	★ Intel 11n	Blue	Home Prem	Aug 08

- 15.4" widescreen, glossy display
 Frameless screen (no plastic frame) to extend to the edges of the PC
- · Light Weave textured cover
- Integrated 1.3 megapixel camera and Lenovo's VeriFace face recognition software helps control access to your notebook by recognizing your face.
- Dolby® Home Theater™ premium audio system with four speakers and one subwoofer
 Shuttle Center offers a one-stop, total entertainment environment with Shuttle Key that puts volume and equalizer controls on the keyboard
- One key system recovery

Positioning Processor	Widescreen flexibility; two-spindle Intel® Core™ 2 Duo processor T5550 or T5750 with dual-core, Intel 64 Technology, Enhanced Intel SpeedStep™ technology¹, Execute Disable Bit, 667MHz system bus, and 2MB L2 cache	Preloaded operating system ²⁰ - Microsoft® Windows® Vista® Home Premium Edition (32-bit) ⇒ Vista Premium logo
Memory	2GB or 4GB std / 4GB max ⁷ / PC2-5300 667MHz DDR2 , non-parity, dual-channel capable, two 200-pin SO-DIMM sockets; <i>Italics:</i> standard memory in both sockets; no sockets available	Preloaded applications¹⁴ • Lenovo™ OneKey Recovery • Lenovo Anycomm
Diskette drive EIDE DVD±RW SATA disk	None (use optional USB-based diskette drive) DVD burner, dual-layer support, fixed, not removable, 12.7mm high, tray-in 160GB (5400 rpm), 250GB (5400 rpm), or 320GB (5400 rpm) / SATA 1.5Gb/s, 9.5mm high, removable	Norton® AntiVirus 2007 (90 days of virus definitions) Adobe® Reader Windows Live™ Toolbar
Widescreen display Camera	15.4" (391.2mm) WXGA (1280x800) TFT color, VibrantView (glossy), CCFL backlight, 200 nits, 16:10 aspect ratio, 300:1 contrast ratio, frameless screen Camera on top of screen, 1.3-megapixel, fixed focus	Easy Capture Microsoft Office 2007 Trial (60-day) VeriFace™ Facial Recognition EarthLink®
Graphics	NVIDIA® GeForce® 8600M GT , PCI Express® x16, 256MB memory, DirectX® 10, TurboCache, PureVideo™ technology, VGA connector, S-video connector	Energy Cut Lenovo Shuttle Center (DVD±RW)
Keyboard Multimedia control Touch pad	Full-size keyboard, 6-row, 84-key, multimedia Fn keys sTouch-sensitive audio-video control panel, Shuttle Key Two-button touch pad with scroll feature (no TrackPoint®)	Cyberlink Power2Go (DVD±RW)
Dimensions ³ Weight ² Case color Case material Battery - type	(WxDxH): 14.2" x 10.3" x 1.2" to 1.4"; 360mm x 262mm x 29 to 36mm with optical drive and battery: 6-cell: 6.4 lb (2.91 kg) Black top, black bottom ABS plastic; Palm rest: aluminum Lithium Ion 6-cell, 5200 mAH, smart battery, 5-bar battery indicator	
Battery - life ¹⁰	Up to 3 hr	Available at these retailers
Chipset ExpressCard/54 Multicard reader Ports	Mobile Intel GM965 Express Chipset (Graphics Memory Controller Hub); ICH8M I/O Controller Hub (SATA 3.0Gb/s, ATA-100 EIDE, USB 2.0, PCI Express® 1.1, PCI 2.3), LPC bus One slot (ExpressCard/34, ExpressCard/54) 6-in-1 reader (MultiMedia Card, Memory Stick, Memory Stick PRO™, Secure Digital Card, Secure Digital Elite Pro Card, xD-Picture Card™) Three USB 2.0, external monitor (VGA DB-15), S-video, modem (RJ-11), ethernet (RJ-45), IEEE 1394 FireWire 400 (4-pin connector; 1394a-2000 standard)	lenovo.com 90-watt AC adapter Wireless on/off switch ENERGY STAR® 4.0-compliant RoHS-compliant Limited Warranty¹²
TV tuner Video out Mini PCI Express Intel 11n	None S-video out port (TV-out), one 7-pin industry standard connector Two Mini PCI Express slot 11a/b/g/n wireless, Mini PCIe adapter, Intel Wireless WiFi Link 4965AGN, MIMO 2x3 (Kedron)	 → 1-year parts and labor → Depot repair service¹⁹ → Service upgrade options (in eligible locations):⁹ • 1-year accidental damage
Bluetooth™ Modem Ethernet Audio support	Bluetooth 2.0 wireless, USB 2.0 interface via ICH8M, LED indicator 56K V.92 [®] modem 10/100 ethernet, Broadcom® BCM5906M, PCI 2.3 Intel High Definition (HD) Audio, RealTek® ALC882 codec / two main speakers (2 watt), two secondary speaker (1 watt) and subwoofer (2.5 watt), Dolby® Home Theater™ Speaker System / stereo microphone, microphone input jack (3.5 mm), stereo headphone jack (3.5 mm)	protection via depot 43R8885 • 3-year Lenovo Onsite Repair ¹³ 9x5 Next Business Day 43R8883 • 3-year Lenovo Onsite Repair ¹³ 9x5 Next Business Day with accidental
Security	Power-on password, hard disk password, supervisor password, security lockhole, VeriFace face recognition software	 24x7¹⁶ toll-free support for warranty issues during the warranty period¹²
Fingerprint reader		via 877-453-6686





Lenovo IdeaPad Y530



Lenovo IdeaPad Y530



Lenovo IdeaPad Y530



Lenovo IdeaPad Y530



Lenovo IdeaPad Y530



Lenovo IdeaPad Y530

Type-model	Processor	GHz	Memory	Widescreen display	CCFL or LED	Cam- era	Integrated graphics		SATA optical	Mini PCle 802.11 wireless			ENERGY STAR 4.0		Avail date
4051-2QU	T3200	2.00	2GB	15.4" WXGA	LED	Cam	GMA	160GB8	DVD±RW	Intel 5100 ²⁸	Black			Prem 32	Sep 08
4051-2RU	T3200	2.00	2GB	15.4" WXGA	LED	Cam	GMA	250GB	DVD±RW	Intel 5100	Black			Prem 32	Sep 08
4051-62U	T3200	2.00	2GB	15.4" WXGA	LED	Cam	GMA	320GB	DVD±RW	Intel 5100	Black			Prem 32	Nov 08
4051-2SU	T3200	2.00	3GB	15.4" WXGA	LED	Cam	GMA	250GB	DVD ±RW	Intel 5100	Black			Prem 32	Sep 08
4051-63U	T3200	2.00	4GB	15.4" WXGA	LED	Cam	GMA	320GB	DVD ±RW	Intel 5100	Black	Blue		Prem 64	Nov 08
4051-2TU	T5800	2.00	2GB	15.4" WXGA	LED	Cam	GMA	250GB	DVD±RW	* Intel 5100	Black	Blue	ES40	Prem 32	Sep 08
4051-42U	T5800	2.00	3GB	15.4" WXGA		Cam	GMA	250GB	DVD ±RW	* Intel 5100	Black		ES40	Prem 32	Sep 08
4051-2WU	T5800	2.00	3GB	15.4" WXGA	LED	Cam	GMA	250GB	DVD ±RW	* Intel 5100	Black	Blue	ES40	Prem 32	Sep 08
4051-2UU	T5800	2.00	3GB	15.4" WXGA	LED	Cam	GMA	320GB	DVD ±RW	* Intel 5100	Black	Blue	ES40	Prem 32	Sep 08
4051-43U	T5800	2.00	4GB	15.4" WXGA		Cam	GMA	320GB	DVD ±RW	* Intel 5100	Black		ES40	Prem 64	Sep 08
4051-54U	P7450	2.13	4GB	15.4" WXGA	LED	Cam	GMA	320GB	DVD±RW	Intel 5100	Black		ES40	Prem 64	Jan 09

- 15.4" widescreen, glossy display
- Light Weave textured cover
- Integrated 1.3 megapixel camera and Lenovo's VeriFace face recognition software helps control access to your notebook by recognizing your face.
- Dolby® Home Theater® premium audio system with four speakers and one subwoofer
- HDMI port, HDCP-compliant
- Lenovo Rescue System provides OneKey recovery and OneKey Antivirus without booting into Windows

Positioning Processor	Widescreen flexibility; two-spindle Intel® Pentium® dual-core processor T3200 with dual-core, 667MHz system bus, and 1MB L2 cache or Intel Core™ 2 Duo processor T5800 or P7450 with dual-core, 800MHz system bus; T5800: 2MB L2 cache; P7450: 3MB L2 cache	Preloaded operating system ²⁰ - Some: Microsoft® Windows® Vista® Home Premium Edition (32-bit) - Some: Microsoft Windows Vista Home Premium Edition
Memory	2GB, 3GB, or 4GB std / 4GB max ³¹ ; standard memory in both sockets; no sockets available; 42U/43U: PC2-5300 667MHz DDR2, non-parity, dual-channel capable, two 200-pin SO-DIMM sockets; PC3-8500 1066MHz DDR3, non-parity, dual-channel capable, two 204-pin SO-DIMM sockets	(64-bit) Vista Premium logo Preloaded applications¹⁴ (only some listed) Lenovo® OneKey Recovery Lenovo ReadyComm
Diskette drive SATA DVD±RW SATA disk	None (use optional USB-based diskette drive) DVD burner, dual-layer support, fixed, not removable, 12.7mm high, tray-in 160GB (5400 rpm), 250GB (5400 rpm), or 320GB (5400 rpm) / SATA 1.5Gb/s, 9.5mm high, removable	Norton Internet Security™ (90 days of virus definitions) Easy Capture Microsoft Office 2007 Trial (60-day) Carbootto Online Rackure
Widescreen display Camera	15.4" (391.2mm) WXGA (1280x800) TFT color, VibrantView (glossy), Some: CCFL backlight, 200 nits, 16:10 aspect ratio, 400:1 contrast ratio Some: LED backlight, 200 nits, 16:10 aspect ratio, 400:1 contrast ratio Camera on top of screen, 1.3-megapixel, fixed focus	 Carbonite Online Backup VeriFace™ Facial Recognition Lenovo Energy Management Software Cyberlink Power2Go (DVD±RW)
Integrated graphics	Intel Graphics Media Accelerator 4500MHD (GMA 4500MHD), in GM45, HDMI port supporting HDCP to output protected content	Systemick I Ower200 (DVDERVV)
Keyboard Multimedia contro Touch pad	Full-size keyboard, 6-row, 84-key, multimedia Fn keys, recovery key IsTouch-sensitive audio-video control panel, Shuttle Key Two-button touch pad with scroll feature (no TrackPoint®)	
Dimensions ³ Weight ²	(WxDxH): 14.2" x 10.3" x 1.2" to 1.4"; 360mm x 262mm x 29 to 36mm with optical drive and battery: 6-cell: 6.6 lb (2.98 kg)	
Case color Case material Battery - type Battery - life ¹⁰	Black top, black bottom ABS plastic; Palm rest: aluminum Lithium Ion 6-cell , 5200 mAH, smart battery, 5-bar battery indicator Up to 3 hr	Available at these retailers lenovo.com Fry's Circuit City®
Chipset ExpressCard/54	Mobile Intel GM45 Express Chipset (Memory Controller Hub), ICH9M I/O Controller Hub (SATA 3.0Gb/s, USB 2.0, PCI Express® 1.1, PCI 2.3, ethernet MAC), PCI bus (Ricoh® R5C833 Cardbus/1394/Multicard), LPC bus (IT8752 Super I/O) One slot (ExpressCard/34, ExpressCard/54)	65-watt AC adapter Wireless on/off switch Some: ENERGY STAR® 4.0-compliant RoHS-compliant
Multicard reader Ports	6-in-1 reader (MultiMedia Card, Memory Stick, Memory Stick PRO™, Secure Digital Card, Secure Digital Elite Pro Card, xD-Picture Card™) Three USB 2.0, external monitor (VGA DB-15, HDMI), modem (RJ-11), ethernet (RJ-45), IEEE 1394 FireWire 400 (4-pin connector; 1394a-2000 standard)	Limited Warranty ¹²
TV tuner Mini PCI Express Intel 5100 ²⁸ Bluetooth™ Modem Ethernet Audio support	11a/b/g/n wireless ⁴ , Mini PCIe adapter, Intel WiFi Link 5100, 1x2 (Shirley Peak) Some: Bluetooth 2.1 wireless, USB 2.0 interface via ICH9M, LED indicator 56K ⁶ V.92 ¹⁵ modem 10/100 ethernet, Broadcom [®] BCM5906M, PCI 2.3 High Definition (HD) Audio, RealTek [®] ALC888S codec / two main speakers (2 watt), two secondary speakers (1 watt) and subwoofer (2.5 watt), Dolby [®] Home Theater TM Speaker System / dual array microphone, microphone input jack (3.5 mm), headphone jack (3.5 mm)	Service upgrade options (in eligible locations): 1-year accidental damage protection via depot 43R8885 3-year Lenovo Onsite Repair ¹³ 9x5 Next Business Day 43R8883 3-year Lenovo Onsite Repair ¹³ 9x5 Next Business Day with accidental damage protection 43R8884
Security Fingerprint reader	Power-on password, hard disk password, supervisor password, security lockhole, VeriFace face recognition software None	24x7 ¹⁶ toll-free support for warranty issues during the warranty period ¹² via 877-453-6686

[★] Intel Centrino® processor technology

Type-model	Processor	GHz	Memory	Widescreen display	CCFL or LED	Cam- era	Integrated graphics		SATA optical	Mini PCle 802.11 wireless			ENERGY STAR 4.0	Vista preload	Avail date
4051-6HU	T3400	2.16	1GB	15.4" WXGA	LED	Cam	GMA	160GB8	DVD ±RW	Intel 5100 ²⁸	Black			Basic	Feb 09
4051-68U	T3400	2.16	2GB	15.4" WXGA	LED	Cam	GMA	250GB	DVD±RW	Intel 5100	Black			Prem 32	Feb 09
4051-6FU	T3400	2.16	2GB	15.4" WXGA	LED	Cam	GMA	320GB	DVD±RW	Intel 5100	Black			Prem 32	Feb 09
4051-69U	T3400	2.16	3GB	15.4" WXGA	LED	Cam	GMA	320GB	DVD±RW	Intel 5100	Black			Prem 32	Feb 09
4051-67U	T6400	2.00	3GB	15.4" WXGA	LED	Cam	GMA	250GB	DVD±RW >	★ Intel 5100	Black		ES40	Prem 32	Feb 09
4051-6AU	T6400	2.00	3GB	15.4" WXGA	LED	Cam	GMA	320GB	DVD±RW >	★ Intel 5100	Black	Blue	ES40	Prem 32	Feb 09
4051-6BU	T6400	2.00	4GB	15.4" WXGA	LED	Cam	GMA	320GB	DVD±RW >	* Intel 5100	Black	Blue	ES40	Prem 64	Feb 09

- 15.4" widescreen, glossy displayLight Weave textured cover
- Integrated 1.3 megapixel camera and Lenovo's VeriFace face recognition software helps control access to your notebook by recognizing your face.

- Dolby® Home Theater® premium audio system with four speakers and one subwoofer
 HDMI port, HDCP-compliant
 Lenovo® Rescue System provides OneKey recovery and OneKey Antivirus without booting into Windows

Positioning Processor	Widescreen flexibility; two-spindle Intel® Pentium® processor T3400 with dual-core, 667MHz system bus, and 1MB L2 cache or Intel Core™ 2 Duo processor T6400 with dual-core, 800MHz system bus, and 2MB L2 cache	- Some: Microsoft® Windows® Vista® Home Premium Edition (32-bit) Some: Microsoft Windows Vista
Memory	1GB , 2GB , 3GB , or 4GB std / 4GB max ³¹ / PC3-8500 1066MHz DDR3 , non-parity, dual-channel capable, two 204-pin SO-DIMM sockets <i>Italics:</i> standard memory in both sockets; no sockets available; <i>Non-italics:</i> standard memory in one socket; one socket available	Home Premium Edition (64-bit) - Some: Microsoft Windows Vista Home Basic Edition (32-bit) - ♦ 4051-6HU: Vista Basic logo
Diskette drive SATA DVD±RW SATA disk	None (use optional USB-based diskette drive) DVD burner, dual-layer support, fixed, not removable, 12.7mm high, tray-in 160GB (5400 rpm), 250GB (5400 rpm), or 320GB (5400 rpm) / SATA 1.5Gb/s, 9.5mm high, removable	♦ Others: Vista Premium logo Preloaded applications¹⁴ (only some listed)
Widescreen display Camera	15.4" (391.2mm) WXGA (1280x800) TFT color, VibrantView (glossy), LED backlight , 200 nits, 16:10 aspect ratio, 400:1 contrast ratio Camera on top of screen, 1.3-megapixel, fixed focus	Lenovo® OneKey Recovery Lenovo ReadyComm Norton Internet Security™ (90 days of virus definitions)
Integrated graphics	Intel Graphics Media Accelerator 4500MHD (GMA 4500MHD), in GM45, HDMI port supporting HDCP to output protected content	 Easy Capture Microsoft Office 2007 Trial (60-day)
Keyboard Multimedia control Touch pad	Full-size keyboard, 6-row, 84-key, multimedia Fn keys, recovery key sTouch-sensitive audio-video control panel, Shuttle Key Two-button touch pad with scroll feature (no TrackPoint®)	Carbonite Online Backup VeriFace™ Facial Recognition Lenovo Energy Management Software
Dimensions ³ Weight ² Case color Case material Battery - type Battery - life ¹⁰	(WxDxH): 14.2" x 10.3" x 1.2" to 1.4"; 360mm x 262mm x 29 to 36mm with optical drive and battery: 6-cell: 6.6 lb (2.98 kg) Black top, black bottom ABS plastic; Palm rest: ABS plastic Lithium Ion 6-cell, 5200 mAH, smart battery, 5-bar battery indicator Up to 3 hr	Cyberlink Power2Go (DVD±RW) Available at these retailers lenovo.com
Chipset ExpressCard/54 Multicard reader Ports	Mobile Intel GM45 Express Chipset (Memory Controller Hub), ICH9M I/O Controller Hub (SATA 3.0Gb/s, USB 2.0, PCI Express® 1.1, PCI 2.3, ethernet MAC), PCI bus (Ricoh® R5C833 Cardbus/1394/Multicard), LPC bus (IT8752 Super I/O) One slot (ExpressCard/34, ExpressCard/54) 6-in-1 reader (MultiMedia Card, Memory Stick, Memory Stick PRO™, Secure Digital Card, Secure Digital Elite Pro Card, xD-Picture Card™) Three USB 2.0, external monitor (VGA DB-15, HDMI), modem (RJ-11),	65-watt AC adapter Wireless on/off switch Some: ENERGY STAR® 4.0-compliant RoHS-compliant Limited Warranty ¹² 1-year parts and labor
TV tuner Mini PCI Express Intel 5100 ²⁸ Bluetooth™ Modem Ethernet Audio support	ethernet (RJ-45), IEEE 1394 FireWire 400 (4-pin connector; 1394a-2000 standard) None Two Mini PCI Express slots 11a/b/g/n wireless⁴, Mini PCIe adapter, Intel WiFi Link 5100, 1x2 (Shirley Peak) Some: Bluetooth 2.1 wireless, USB 2.0 interface via ICH9M, LED indicator 56K ⁶ V.92¹⁵ modem 10/100 ethernet, Broadcom® BCM5906M, PCI 2.3 High Definition (HD) Audio, RealTek® ALC888S codec / two main speakers (2 watt), two secondary speakers (1 watt) and subwoofer (2.5 watt), Dolby® Home Theater™ Speaker System / dual array microphone, microphone input jack (3.5 mm), headphone jack (3.5 mm)	Depot repair service ¹⁹ Service upgrade options (in eligible locations): ⁹ 1-year accidental damage protection via depot 43R8885 3-year Lenovo Onsite Repair ¹³ 9x5 Next Business Day 43R8883 3-year Lenovo Onsite Repair ¹³ 9x5 Next Business Day with accidental damage protection 43R8884
Security Fingerprint reader	Power-on password, hard disk password, supervisor password, security lockhole, VeriFace face recognition software None	24x7 ¹⁶ toll-free support for warranty issues during the warranty period ¹² via 877-453-6686
<u> </u>		

Type-model	Processor	GHz	Memory	Widescreen display	CCFL or LED	Cam- era	Discrete graphics	SATA disk	SATA optical	Mini PCle 802.11 wireless	Top I		Vista preload	Avail date
4051-2XU	T5800	2.00	2GB	15.4" WXGA	LED	Cam	9300M GS	250GB8	DVD±RW	* Intel 510028	Black I	Blue	Prem 32	Sep 08
☞ 4051-64U	T5800	2.00	4GB	15.4" WXGA	LED	Cam	9300M GS	320GB	DVD±RW	* Intel 5100	Black I	Blue	Prem 64	Nov 08
4051-2AU	P7350	2.00	2GB	15.4" WXGA		Cam	9300M GS	250GB	DVD±RW	Intel 5100	Black I	Blue	Prem 32	Aug 08
4051-2NU	P7350	2.00	2GB	15.4" WXGA	LED	Cam	9300M GS	250GB	DVD±RW		Black I	Blue	Prem 32	Sep 08
4051-2BU	P7350	2.00	3GB	15.4" WXGA		Cam	9300M GS	320GB	DVD±RW	Intel 5100	Black I	Blue	Prem 32	Aug 08
4051-2PU	P7350	2.00	3GB	15.4" WXGA	LED	Cam	9300M GS	320GB	DVD±RW	Intel 5100	Black I		Prem 32	
4051-2YU	P8400	2.26	4GB	15.4" WXGA	LED	Cam	9500M G	320GB	DVD±RW	Intel 5100	Black I	Blue	Prem 64	Sep 08

- 15.4" widescreen, glossy display Frameless screen (no plastic frame) to extend to the edges of the PC
- Light Weave textured cover
- Integrated 1.3 megapixel camera and Lenovo's VeriFace face recognition software helps control access to your notebook by recognizing your face.
- Dolby® Home Theater® premium audio system with four speakers and one subwoofer
 HDMI port, HDCP-compliant
- · Lenovo Rescue System provides OneKey recovery and OneKey Antivirus without booting into Windows

		_
Positioning Processor	Widescreen flexibility; two-spindle Intel® Core™ 2 Duo processor T5800 with dual-core, 800MHz system bus, and 2MB L2 cache or Intel Core 2 Duo processor P7350 or P8400 with dual-core, Intel HD Boost, 1066MHz system bus, and 3MB L2 cache	Preloaded operating system ²⁰ - Some: Microsoft® Windows® Vista® Home Premium Edition (32-bit) - Some: Microsoft Windows Vista
Memory	2GB, 3GB, or 4GB std / 4GB max ⁷ ; standard memory in both sockets; no sockets available; 2AU/2BU: PC2-5300 667MHz DDR2, non-parity, dual-channel capable, two 200-pin SO-DIMM sockets; PC3-8500 1066MHz DDR3, non-parity, dual-channel capable, two 204-pin SO-DIMM sockets	Home Premium Edition (64-bit) ⇒ Vista Premium logo Preloaded applications¹⁴ (only some listed) • Lenovo™ OneKey Recovery
Diskette drive SATA DVD±RW SATA disk	None (use optional USB-based diskette drive) DVD burner, dual-layer support, fixed, not removable, 12.7mm high, tray-in 250GB (5400 rpm) or 320GB (5400 rpm) / SATA 1.5Gb/s, 9.5mm high, removable	Lenovo ReadyComm Norton Internet Security™ (90 days of virus definitions)
Widescreen display	15.4" (391.2mm) WXGA (1280x800) TFT color, VibrantView (glossy); Some: CCFL backlight, 200 nits, 16:10 aspect ratio, 400:1 contrast ratio, frameless screen Some: LED backlight, 200 nits, 16:10 aspect ratio, 400:1 contrast ratio, frameless screen	Adobe® Reader Windows Live™ Toolbar Easy Capture Microsoft Office 2007 Trial (60-day) WildGames™ Capterite Online Readure
Camera	Camera on top of screen, 1.3-megapixel, fixed focus	 Carbonite Online Backup VeriFace™ Facial Recognition
Discrete graphics	Some: NVIDIA® GeForce® 9300M GS, PCI Express® x16, 256MB memory, DirectX® 10, PureVideo® HD technology, VGA, HDMI, HDCP-compliant NVIDIA GeForce 9500M G, PCI Express x16, 512MB memory, DirectX 10, PureVideo HD technology, VGA, HDMI, HDCP-compliant	Lenovo Energy Management Software Cyberlink Power2Go (DVD±RW)
Keyboard Multimedia control Touch pad	Full-size keyboard, 6-row, 84-key, multimedia Fn keys, recovery key lsTouch-sensitive audio-video control panel, Shuttle Key Two-button touch pad with scroll feature (no TrackPoint®)	
Dimensions ³ Weight ² Case color Case material Battery - type Battery - life ¹⁰	(WxDxH): 14.2" x 10.3" x 1.2" to 1.4"; 360mm x 262mm x 29 to 36mm with optical drive and battery: 6-cell: 6.6 lb (2.98 kg) Black top, black bottom ABS plastic; Palm rest: aluminum Lithium Ion 6-cell, 5200 mAH, smart battery, 5-bar battery indicator Up to 3 hr	Available at these retailers • lenovo.com
Chipset ExpressCard/54	Mobile Intel GM45 Express Chipset (Memory Controller Hub), ICH9M I/O Controller Hub (SATA 3.0Gb/s, USB 2.0, PCI Express® 1.1, PCI 2.3, ethernet MAC), PCI bus (Ricoh® R5C833 Cardbus/1394/Multicard), LPC bus (IT8752 Super I/O) One slot (ExpressCard/34, ExpressCard/54)	90-watt AC adapter Wireless on/off switch ENERGY STAR® 4.0-compliant RoHS-compliant
Multicard reader Ports	6-in-1 reader (MultiMedia Card, Memory Stick, Memory Stick PRO™, Secure Digital Card, Secure Digital Elite Pro Card, xD-Picture Card™) Three USB 2.0, external monitor (VGA DB-15, HDMI), modem (RJ-11), ethernet (RJ-45), IEEE 1394 FireWire 400 (4-pin connector; 1394a-2000 standard)	Limited Warranty ¹²
TV tuner Mini PCI Express Intel 5100 ²⁸ Bluetooth™ Modem Ethernet Audio support	None Two Mini PCI Express slots 11a/b/g/n wireless⁴, Mini PCIe adapter, Intel WiFi Link 5100, 1x2 (Shirley Peak) Bluetooth 2.1 wireless, USB 2.0 interface via ICH9M, LED indicator 56K V.92⁶ modem 10/100 ethernet, Broadcom® BCM5906M, PCI 2.3 Intel High Definition (HD) Audio, RealTek® ALC888S codec / two main speakers (2 watt), two secondary speakers (1 watt) and subwoofer (2.5 watt), Dolby® Home Theater™ Speaker System / dual array microphone, microphone input jack (3.5 mm), headphone jack (3.5 mm)	 Service upgrade options (in eligible locations): 1-year accidental damage protection via depot 43R8885 3-year Lenovo Onsite Repair¹³ 9x5 Next Business Day 43R8883 3-year Lenovo Onsite Repair¹³ 9x5 Next Business Day with accidental damage protection 43R8884
Security Fingerprint reader	Power-on password, hard disk password, supervisor password, security lockhole, VeriFace face recognition software None	24x7 ¹⁶ toll-free support for warranty issues during the warranty period ¹² via 877-453-6686

Type-model	Processor	GHz	Memory	Widescreen display	CCFL or LED	Cam- era	Discrete graphics	SATA disk	SATA optical	Mini PCle 802.11 wireless	Top color	Blue- tooth	Vista preload	Avail date
4051-65U 4051-66U	T6400 T6400	2.00	3GB 4GB	15.4" WXGA 15.4" WXGA	LED LED		9300M GS 9300M GS			* Intel 5100 ²⁸ * Intel 5100	Black Black		Prem 32 Prem 64	
4051-6DU	P7450	2.13	3GB	15.4" WXGA	LED	Cam	9300M GS	320GB	DVD±RW	Intel 5100	Black	Blue	Prem 32	Feb 09
4051-6GU 4051-6CU 4051-6EU	P7450 P8600 P8600	2.13 2.40 2.40	3GB	15.4" WXGA 15.4" WXGA 15.4" WXGA	LED	Cam	9300M GS 9300M GS 9300M G		DVD±RW	Intel 5100Intel 5100Intel 5100	Black Black Black	Blue	Prem 64 Prem 32 Prem 64	Feb 09

- 15.4" widescreen, glossy display
- Frameless screen (no plastic frame) to extend to the edges of the PC
- · Light Weave textured cover
- Integrated 1.3 megapixel camera and Lenovo's VeriFace face recognition software helps control access to your notebook by recognizing your face.
- Dolby® Home Theater® premium audio system with four speakers and one subwoofer
- HDMI port, HDCP-compliant
- Lenovo® Rescue System provides OneKey recovery and OneKey Antivirus without booting into Windows

Positioning Processor	Widescreen flexibility; two-spindle Intel® Core™ 2 Duo processor T6400 with dual-core, 800MHz system bus, and 2MB L2 cache or Intel Core 2 Duo processor P7450 or P8600 with dual-core, Intel HD Boost, 1066MHz system bus, and 3MB L2 cache	Preloaded operating system ²⁰ - Some: Microsoft® Windows® Vista® Home Premium Edition (32-bit) - Some: Microsoft Windows Vista
Memory	3GB or 4GB std / 4GB max ⁷ / PC3-8500 1066MHz DDR3 , non-parity, dual-channel capable, two 204-pin SO-DIMM sockets standard memory in both sockets; no sockets available;	Home Premium Edition (64-bit) Vista Premium logo
Diskette drive SATA DVD±RW SATA disk	None (use optional USB-based diskette drive) DVD burner, dual-layer support, fixed, not removable, 12.7mm high, tray-in 320GB (5400 rpm) / SATA 1.5Gb/s, 9.5mm high, removable	Preloaded applications¹⁴ (only some listed) • Lenovo™ OneKey Recovery
Widescreen display Camera	15.4" (391.2mm) WXGA (1280x800) TFT color, VibrantView (glossy); LED backlight, 200 nits, 16:10 aspect ratio, 400:1 contrast ratio, frameless screen Camera on top of screen, 1.3-megapixel, fixed focus	Lenovo ReadyComm Norton Internet Security™ (90 days of virus definitions) Adobe® Reader
Discrete graphics	Some: NVIDIA® GeForce® 9300M GS, PCI Express® x16, 256MB memory, DirectX® 10, PureVideo® HD technology, VGA, HDMI, HDCP-compliant Some: NVIDIA GeForce 9500M G, PCI Express x16, 512MB memory, DirectX 10, PureVideo HD technology, VGA, HDMI, HDCP-compliant	Windows Live™ Toolbar Easy Capture Microsoft Office 2007 Trial (60-day) WildGames™
Keyboard Multimedia control Touch pad	Full-size keyboard, 6-row, 84-key, multimedia Fn keys, recovery key sTouch-sensitive audio-video control panel, Shuttle Key Two-button touch pad with scroll feature (no TrackPoint®)	Carbonite Online Backup VeriFace™ Facial Recognition Lendors Energy Management Cofficient
Dimensions ³ Weight ² Case color Case material	(WxDxH): 14.2" x 10.3" x 1.2" to 1.4"; 360mm x 262mm x 29 to 36mm with optical drive and battery: 6-cell: 6.6 lb (2.98 kg) Black top, black bottom ABS plastic; Palm rest: ABS plastic Lithium Ion 6-cell, 5200 mAH, smart battery, 5-bar battery indicator	Software Cyberlink Power2Go (DVD±RW)
Battery - type Battery - life ¹⁰	Up to 3 hr	Available at these retailers • lenovo.com
Chipset ExpressCard/54	Mobile Intel GM45 Express Chipset (Memory Controller Hub), ICH9M I/O Controller Hub (SATA 3.0Gb/s, USB 2.0, PCI Express® 1.1, PCI 2.3, ethernet MAC), PCI bus (Ricoh® R5C833 Cardbus/1394/Multicard), LPC bus (IT8752 Super I/O) One slot (ExpressCard/34, ExpressCard/54)	90-watt AC adapter Wireless on/off switch ENERGY STAR® 4.0-compliant RoHS-compliant
Multicard reader Ports	6-in-1 reader (MultiMedia Card, Memory Stick, Memory Stick PRO™, Secure Digital Card, Secure Digital Elite Pro Card, xD-Picture Card™) Three USB 2.0, external monitor (VGA DB-15, HDMI), modem (RJ-11), ethernet (RJ-45), IEEE 1394 FireWire 400 (4-pin connector; 1394a-2000 standard)	Limited Warranty¹²
TV tuner Mini PCI Express Intel 5100 ²⁸ Bluetooth TM Modem Ethernet Audio support	None Two Mini PCI Express slots 11a/b/g/n wireless⁴, Mini PCIe adapter, Intel WiFi Link 5100, 1x2 (Shirley Peak) Bluetooth 2.1 wireless, USB 2.0 interface via ICH9M, LED indicator 56K V.92⁶ modem 10/100 ethernet, Broadcom⁶ BCM5906M, PCI 2.3 Intel High Definition (HD) Audio, RealTek⁶ ALC888S codec / two main speakers (2 watt), two secondary speakers (1 watt) and subwoofer (2.5 watt), Dolby⁶ Home Theater™ Speaker System / dual array microphone, microphone input jack (3.5 mm), headphone jack (3.5 mm) Power-on password, hard disk password, supervisor password, security lockhole,	 Service upgrade options (in eligible locations):³ 1-year accidental damage protection via depot 43R8885 3-year Lenovo Onsite Repair¹³ 9x5 Next Business Day 43R8883 3-year Lenovo Onsite Repair¹³ 9x5 Next Business Day with accidental damage protection 43R8884 24x7¹⁶ toll-free support for warranty
Fingerprint reader	VeriFace face recognition software	issues during the warranty period ¹² via 877-453-6686







Lenovo IdeaPad Y650

Lenovo IdeaPad Y650





Lenovo IdeaPad Y650

Lenovo IdeaPad Y650





Lenovo IdeaPad Y650

Lenovo IdeaPad Y650

Type-model	Processor	GHz	Memory	Widescreen display	CCFL or LED	Cam- era	Integrated graphics	SATA disk	SATA optical	Mini PCIe 802.11 wireless			ENERGY STAR 4.0	Vista preload	Avail date
4185-36U	P8600	2.40	3GB	16.0" WXGA	LED	Cam	GMA	320GB ⁸	DVD±RW	♣ Intel 5100²	8 Black	Blue	ES40	Prem 32	Feb 09

- 16.0" widescreen, glossy display with LED backlight
- Lenovo® Desktop Navigator easily toggles between shortcuts, files, and other frequently used programs with touch-sensitive slide bar
- Integrated 1.3 megapixel camera and Lenovo's VeriFace face recognition software helps control access to your notebook by recognizing your face.
- Touch pad supports multi-touch function (pinch, expansion, chiral motion)
- Dolby® Home Theater® premium audio system with two JBL® stereo speakers
- Ambient Light Sensor automatically adjusts screen brightness based on surrounding light conditions
- Lenovo Rescue System provides OneKey™ recovery and OneKey Antivirus without booting into Windows
- OneKey Theater allows pressing one key to optimize video and audio experience by switching from normal mode to movie mode

Positioning Processor	Widescreen flexibility; two-spindle Intel® Core™ 2 Duo processor P8600 with dual-core, Intel HD Boost, 1066MHz system bus, and 3MB L2 cache	Preloaded operating system ²⁰ - Microsoft® Windows® Vista® Home Premium Edition (32-bit)
Memory	3GB std / 8GB max ⁷ ; PC3-8500 1066MHz DDR3 , non-parity, dual-channel capable, two 204-pin SO-DIMM sockets <i>Italics:</i> standard memory in both sockets; no sockets available;	♦ Vista Premium logo Preloaded applications ¹⁴ (only some listed)
Diskette drive SATA DVD±RW SATA disk	None (use optional USB-based diskette drive) DVD burner, dual-layer support, fixed, not removable, 12.7mm high, tray-in 320GB (5400 rpm) / SATA 3.0Gb/s, 9.5mm high, removable	Lenovo OneKey Recovery Lenovo ReadyComm Norton Internet Security TM (00 to 10
Widescreen display Camera	16.0" (406.4mm) WXGA (1366x768) TFT color, VibrantView (glossy); LED backlight, 300 nits, 16:9 aspect ratio, 500:1 contrast ratio Camera on top of screen, 1.3-megapixel, fixed focus, LED indicator	(90 days of virus definitions) • Adobe® Reader • Windows Live™ Toolbar • Easy Capture
Integrated graphics	Intel Graphics Media Accelerator 4500MHD (GMA 4500MHD), in GM45, HDMI port supporting HDCP to output protected content	 Microsoft Office 2007 Trial (60-day) VeriFace™ Facial Recognition
Keyboard Touch controls Light sensor Touch pad	Full-size keyboard, 6-row, 84-key, recovery key, mute, vol up, vol down button Lenovo Desktop Navigator, OneKey Theater, and Dolby control center key Ambient light sensor Two-button touch pad with scroll feature (no TrackPoint®), multi-touch	Lenovo Energy Management Software Cyberlink Power2Go (DVD±RW) Media Show Lenovo Desktop Navigator
Dimensions ³ Weight ² Case color Case material Battery - type Battery - life ¹⁰	(WxDxH): 15.4" x 10.2" x 1.0"; 390mm x 260mm x 26mm with optical drive and battery: 6-cell: 5.62 lb (2.55 kg) Black top with engraved pattern, black bottom Top: carbon fiber reinforced plastic; Bottom: magnesium-aluminum alloy Lithium Ion 6-cell, 2000 mAH Up to 3.5 hr	Software Available at these retailers I lenovo.com 65-watt AC adapter
Chipset ExpressCard/54 Multicard reader Ports	Mobile Intel GM45 Express Chipset (Memory Controller Hub), ICH9M I/O Controller Hub (SATA 3.0Gb/s, USB 2.0, PCI Express® 1.1, ethernet MAC) One slot (ExpressCard/34) 6-in-1 reader (MultiMedia Card, Memory Stick, Memory Stick PRO™, Secure Digital Card, Secure Digital Elite Pro Card, xD-Picture Card™) Two USB 2.0, external monitor (VGA DB-15, HDMI), ethernet (RJ-45), CIR, eSATA port	Wireless on/off switch ENERGY STAR® 4.0-compliant RoHS-compliant Limited Warranty¹² 1-year parts and labor Depot repair service¹9
TV tuner Mini PCI Express Intel 5100 ²⁸ Bluetooth TM Modem Ethernet Audio support	None Three Mini PCI Express slots 11a/b/g/n wireless⁴, Mini PCIe adapter, Intel WiFi Link 5100, 1x2 (Shirley Peak) Bluetooth 2.1 wireless + EDR, USB 2.0 interface via ICH9M, LED indicator None Gigabit ethernet, Broadcom® BCM5784, PCIe x1 High Definition (HD) Audio, RealTek® ALC272 codec / two JBL® stereo speakers (2 watt), Dolby® Home Theater™ Speaker System / dual array microphone, microphone input jack (3.5 mm), headphone jack (SPDIF-out) (stereo, 3.5 mm) Hard disk password, user password, supervisor password, security lockhole,	 Service upgrade options (in eligible locations):⁹ 1-year accidental damage protection via depot 43R8885 3-year Lenovo Onsite Repair¹³ 9x5 Next Business Day 43R8883 3-year Lenovo Onsite Repair¹³ 9x5 Next Business Day with accidental damage protection 43R8884 24x7¹⁶ toll-free support for warranty
Fingerprint reader	VeriFace face recognition software	issues during the warranty period ¹² via 877-453-6686

Type-model	Processor	GHz	Memory	Widescreen	CCFL or LED	Cam- era	Discrete graphics	SATA disk	SATA optical	Mini PCle 802.11 wireless		Blue- tooth	Vista preload	Avail date
4185-37U 4185-34U	P8600 P8700	2.40 2.53		16.0" WXGA 16.0" WXGA	LED LED	Cam Cam	G105M G105M			 Intel 5100²⁸ Intel 5100 	Black Black		Prem 64 Prem 64	

- 16.0" widescreen, glossy display with LED backlight
- Lenovo® Desktop Navigator easily toggles between shortcuts, files, and
- other frequently used programs with touch-sensitive slide bar

 Integrated 1.3 megapixel camera and Lenovo's VeriFace face recognition software helps control access to your notebook by recognizing your face.
- Touch pad supports multi-touch function (pinch, expansion, chiral motion)
- Dolby® Home Theater® premium audio system with two JBL® stereo speakers
- Ambient Light Sensor automatically adjusts screen brightness based on surrounding light conditions
- Lenovo Rescue System provides OneKey™ recovery and OneKey Antivirus without booting into Windows
- · OneKey Theater allows pressing one key to optimize video and audio experience by switching from normal mode to movie mode

Widescreen flexibility; two-spindle Intel® Core™ 2 Duo processor P8600 or P8700 with dual-core, Intel HD Boost, 1066MHz system bus, and 3MB L2 cache	Preloaded operating system ²⁰ - Microsoft® Windows® Vista® Home Premium Edition (64-bit)
3GB or 4GB std / 8GB max ⁷ ; PC3-8500 1066MHz DDR3 , non-parity, dual-channel capable, two 204-pin SO-DIMM sockets <i>Italics</i> : standard memory in both sockets; no sockets available;	→ Vista Premium logo Preloaded applications ¹⁴ (only some listed) → Vista Premium logo → Vista Premium
None (use optional USB-based diskette drive) DVD burner, dual-layer support, fixed, not removable, 12.7mm high, tray-in 320GB (5400 rpm) / SATA 3.0Gb/s, 9.5mm high, removable	Lenovo OneKey Recovery Lenovo ReadyComm Norton Internet Security™
16.0" (406.4mm) WXGA (1366x768) TFT color, VibrantView (glossy); LED backlight, 300 nits, 16:9 aspect ratio, 500:1 contrast ratio Camera on top of screen, 1.3-megapixel, fixed focus, LED indicator	(90 days of virus definitions) • Adobe® Reader • Windows Live™ Toolbar • Easy Capture
NVIDIA® GeForce® G105M, PCI Express® x16, 256MB memory, DirectX® 10, PureVideo® HD technology, VGA, HDMI, HDCP-compliant	 Microsoft Office 2007 Trial (60-day) VeriFace™ Facial Recognition
Full-size keyboard, 6-row, 84-key, recovery key, mute, vol up, vol down button Lenovo Desktop Navigator, OneKey Theater, and Dolby control center key Ambient light sensor Two-button touch pad with scroll feature (no TrackPoint®), multi-touch	Lenovo Energy Management Software Cyberlink Power2Go (DVD±RW) Media Show Lenovo Desktop Navigator
(WxDxH): 15.4" x 10.2" x 1.0"; 390mm x 260mm x 26mm with optical drive and battery: 6-cell: 5.62 lb (2.55 kg) Black top with engraved pattern, black bottom Top: carbon fiber reinforced plastic; Bottom: magnesium-aluminum alloy Lithium lon 6-cell, 2000 mAH	Software Available at these retailers I lenovo.com 90-watt AC adapter
Mobile Intel PM45 Express Chipset (Memory Controller Hub), ICH9M I/O Controller Hub (SATA 3.0Gb/s, USB 2.0, PCI Express® 1.1, ethernet MAC) One slot (ExpressCard/34)	Wireless on/off switch ENERGY STAR® 4.0-compliant RoHS-compliant
6-in-1 reader (MultiMedia Card, Memory Stick, Memory Stick PRO™, Secure Digital Card, Secure Digital Elite Pro Card, xD-Picture Card™) Two USB 2.0, external monitor (VGA DB-15, HDMI), ethernet (RJ-45), CIR, eSATA port	Limited Warranty¹²
None Three Mini PCI Express slots 11a/b/g/n wireless⁴, Mini PCIe adapter, Intel WiFi Link 5100, 1x2 (Shirley Peak) Bluetooth 2.1 wireless + EDR, USB 2.0 interface via ICH9M, LED indicator None Gigabit ethernet, Broadcom® BCM5784, PCIe x1 High Definition (HD) Audio, RealTek® ALC272 codec / two JBL® stereo speakers (2 watt), Dolby® Home Theater™ Speaker System / dual array microphone, microphone input jack (3.5 mm), headphone jack (SPDIF-cut) (stereo 3.5 mm)	 ➢ Service upgrade options (in eligible locations):³ 1-year accidental damage protection via depot 43R8885 3-year Lenovo Onsite Repair¹³ 9x5 Next Business Day 43R8883 3-year Lenovo Onsite Repair¹³ 9x5 Next Business Day with accidental damage protection 43R8884
Hard disk password, user password, supervisor password, security lockhole, VeriFace face recognition software	24x7 ¹⁶ toll-free support for warranty issues during the warranty period ¹² via 877-453-6686
	Intel® Core™ 2 Duo processor P8600 or P8700 with dual-core, Intel HD Boost, 1066MHz system bus, and 3MB L2 cache 3GB or 4GB std / 8GB max"; PC3-8500 1066MHz DDR3, non-parity, dual-channel capable, two 204-pin SO-DIMM sockets **Italios:** standard memory in both sockets; no sockets available; None (use optional USB-based diskette drive) DVD burner, dual-layer support, fixed, not removable, 12.7mm high, tray-in 320GB (5400 rpm) / SATA 3.0Gb/s, 9.5mm high, removable 16.0" (406.4mm) WXGA (1366x768) TFT color, VibrantView (glossy); LED backlight, 300 nits, 16:9 aspect ratio, 500:1 contrast ratio Camera on top of screen, 1.3-megapixel, fixed focus, LED indicator NVIDIA® GeForce® G105M, PCI Express® x16, 256MB memory, DirectX® 10, PureVideo® HD technology, VGA, HDMI, HDCP-compliant Full-size keyboard, 6-row, 84-key, recovery key, mute, vol up, vol down button Lenovo Desktop Navigator, OneKey Theater, and Dolby control center key Ambient light sensor Two-button touch pad with scroll feature (no TrackPoint®), multi-touch (WXDXH): 15.4" x 10.2" x 1.0"; 390mm x 260mm x 26mm with optical drive and battery: 6-cell: 5.62 lb (2.55 kg) Black top with engraved pattern, black bottom Top: carbon fiber reinforced plastic; *Bottom: magnesium-aluminum alloy Lithium lon 6-cell, 2000 mAH Up to 2.5 hr Mobile Intel PM45 Express Chipset (Memory Controller Hub), ICH9M I/O Controller Hub (SATA 3.0Gb/s, USB 2.0, PCI Express® 1.1, ethernet MAC) One slot (ExpressCard/34) 6-in-1 reader (MultiMedia Card, Memory Stick, Memory Stick PRO™, Secure Digital Card, Secure Digital Elite Pro Card, xD-Picture Card™) Two USB 2.0, external monitor (VGA DB-15, HDMI), ethernet (RJ-45), CIR, eSATA port None Three Mini PCI Express slots 11a/b/g/n wireless*, Mini PCle adapter, Intel WiFi Link 5100, 1x2 (Shirley Peak) Bluetooth 2.1 wireless + EDR, USB 2.0 interface via ICH9M, LED indicator None Gigabit ethernet, Broadcom® BCM5784, PCle x1 High Definition (HD) Audio, RealTek® ALC272 codec / two JBL® stereo speakers (2 watty), Dolby® Home Theater™ Speaker Sys



Lenovo IdeaPad Y710



Lenovo IdeaPad Y710



Lenovo IdeaPad Y710



Lenovo IdeaPad Y710 (Game Zone on select models)



Lenovo IdeaPad Y710 (Game Zone on select models)



Lenovo IdeaPad Y710

	Type-model	Proc- essor	GHz	Memory	Widescreen display	Camera	Graphics controller	SATA disk(s)	EIDE optical	Mini PC 802.1 wireles	1 Blu		Vista preload	Avail date	
3F	4054-2DU	T5550 T5750 T8100 X9000	2.00 2.10	2GB 4GB	17.0" WXGA+ 17.0" WUXGA	Camera Camera	HD 2600 256M HD 2600 256M HD 2600 512M HD 2600 512M	1 x 250GB 1 x 250GB	DVD±RW DVD±RW	*Intel 1 *Intel 1	1n Blu 1n Blu	ie Keypad	Home Prem	Aug 08 May 08	
		 17.0" widescreen, glossy display Frameless screen (no plastic frame) to extend to the edges of the PC Blue metallic finish Game Zone with secondary display, user-defined keys, performance control switch and enlarged direction keys on select models Integrated 1.3 megapixel camera and Lenovo's VeriFace face recognition software helps control access to your notebook by recognizing your face. Dolby® Home Theater™ premium audio system with four speakers and one subwoofer HDMI port, HDCP-compliant Hot-swap secondary disk capability on select models Preloaded operating system ²⁰													
	Positioning Processor		Wides Intel® Intel 6 Intel C Intel C	ccreen fle Core™ : 4 Techno Core 2 D Dynamic Core 2 E	exibility 2 Duo process clogy, 667MHz duo processor Acceleration, 8	or T5550 system b T8100 with 00MHz bu ssor X900	or T5750 with d us, and 2MB L2 th dual-core , Int us, and 3MB L2 00 with dual-cor	ual-core, cache or el 64 Technol cache or		-	Micro Home ⇒ Vista Preload • Leno	soft [®] Wind e Premium Premium I ed applica	ows® Vista® Edition (32-bi ogo ations¹⁴ ey Recovery	it)	
	Memory		dual-c <i>Italic</i> s	hannel o	capable, two 20 ard memory in	0-pin SO- both sock	O 667MHz DDR: DIMM sockets; kets; no sockets				(90 d Adob Wind	ays of virus e® Reader ows Live™ Capture	definitions)		
	Diskette driv EIDE DVD± EIDE Blu-ra	RW y™	Some Some	DVD b Blu-ray playba	y Disc reader (r ick, DVD and C	er support no Blu-ray D recorda	e drive) i, fixed, not remo media burning); able, not removal 5mm high, remov	, BD-ROM, no ble, 12.7mm l	o HD-ĎVD high, tray-ir		Micro VeriFEarth	sofṫ Office ace™ Facia	2007 Trial (60 al Recognition		
	Secondary of	disk	Some	250GE hot-sw	3 (5400 rpm) / s ap support, ext	SATA 1.50 ernal sup		Leno Blu-ra	vo Shuttle (ay)	Center (DVD± 2Go (DVD±R	.				
	Widescreen display		Some All:	: 17.0 " Vibra r 500:1	(431.8mm) WU ntView (glossy) contrast ratio, f	XGA (192 , CCFL bar rameless		olor, 300 nits			Blu-ra		(,	
	Camera Graphics		ATI ™ VGA c	Mobility		2600 , Posupport),	ei, fixed focus CI Express® x16, HDMI connector			۸,	-				
	Keyboard Numeric key Game Zone Multimedia o Touch pad	pad controls	Some Some Touch	: Nume : Secon enlarg -sensitiv	ed direction key e audio-video d	ght of key ser-define /s control pa									
	Dimensions Weight ² Case color	3	(WxD) with op Blue to	xH): 15.5 otical dri op, black		2" to 1.53'	"; 395mm x 285n	<u>, </u>	9mm						
	Case materi Battery - typ Battery - life	e	Up to	n Ion 6- 0 3.5 hr			attery, 5-bar batt				lenov				
	Chipset ExpressCare Multicard re-	d/54 ader	ICH8N PCI 2. One s 6-in-1	II I/O Co 3), LPC lot (Expi reader (ntroller Hub (Sa bus essCard/34, Ea MultiMedia Cai	ATA 3.0Gt kpressCar d, Memor	(Graphics Memors, ATA-100 EID rd/54) ry Stick, Memory e Pro Card, xD-I)E, USB 2.0, I v Stick PRO™	PCI Éxpres	s 1.1, \\ \ E	Nireless /GA in/o ENERG	t AC adapte s on/off swi out switch Y STAR® 4 ompliant			
	Ports		Four L ethern	JSB 2.0,	external monit	or (VGA [DB-15, HDMI), S 400 (4-pin conne	-video, modei	m (RJ-11),			r parts and			
	TV tuner Mini PCI Ex Intel 11n ²⁸ Bluetooth™ Modem Ethernet Audio suppo	oress	11a/b/ MIMO Blueto 56K V. 10/100 Intel F two m (3 wat stereo Power	g/n wire 2x3 (Ke ooth 2.0 926 moo 0 ethern ligh Defi ain spea t), Dolby microph	edron) wireless, USB 2 lem et, Broadcom® nition (HD) Aucukers (2 watt), to r Home Theater none, micropho sword, hard dis	2.0 interfa BCM5906 lio, RealTo wo second Speaker ne input ja k passwo	ek® ALC888S co dary speakers(1.	ED indicator dec / .5 watt) and s ereo headpho	ubwoofer one jack (3.	5 mm)	 Servi (in el el	etection via ear Lenovo i Next Busi ear Lenovo i Next Busi h accident mage prote	e options iions):9 ntal damage depot 43 o Onsite Repa ness Day 43 o Onsite Repa ness Day al ction 43 support for wa	BR8883 ir ¹³ BR8884 arranty	
	Fingerprint i			ice tacia	l recognition so	πware						rs during th 77-453-668	ne warranty po 6	eriod *	



Lenovo IdeaPad Y730 Valencia Orange



Lenovo IdeaPad Y730 Valencia Orange



Lenovo IdeaPad Y730



Lenovo IdeaPad Y730 Dark Blue, Glossy Finish



Lenovo IdeaPad Y730 Valencia Orange



Lenovo IdeaPad Y730 Valencia Orange

Type-model	Proc- l essor	GHz	Memory	Widescreen display	Cam- era	Integrated graphics	SATA disk(s)	SATA optical	Mini PCle 802.11 wireless	Top color	Blue- tooth	Keypad / Game Zone	Vista preload	Avail date
4053-2DU	T3200	2.00	2GB	17.0" WXGA+	Cam	GMA	1 x 160GB8	DVD±RW	Intel 5100 ²⁸	Blue	None	Keypad	Prem 32	Sep 08

- 17.0" widescreen, glossy display
 Integrated 1.3 megapixel camera and Lenovo's VeriFace face recognition software helps control access to your notebook by recognizing your face.
 Dolby® Home Theater™ premium audio system with four speakers and one subwoofer
 HDMI port, HDCP-compliant

- Lenovo Rescue System provides OneKey recovery and OneKey Antivirus without booting into Windows

Positioning Processor	Widescreen flexibility Intel® Pentium® dual-core processor T3200 with dual-core, 667MHz system bus, and 1MB L2 cache	Preloaded operating system ²⁰ - Microsoft® Windows® Vista® Home Premium Edition (32-bit)
Memory	2GB std / 4GB max ⁷ / PC3-8500 1066MHz DDR3 , non-parity, dual-channel capable, two 204-pin SO-DIMM sockets; <i>Italics</i> : standard memory in both sockets; no sockets available	 ♦ Vista Premium logo Preloaded applications¹⁴ • Lenovo™ OneKey Recovery
SATA DVD±RW Primary SATA disk Second SATA disk Disk bays	DVD burner, dual-layer support, fixed, not removable, 12.7mm, tray-in 160GB (5400 rpm) / SATA 1.5Gb/s, 9.5mm high, removable, upgradable None Two internal disk bays, 9.5mm high	 Lenovo ReadyComm Norton Internet Security™ (90 days of virus definitions) Adobe® Reader
Widescreen display Camera	17.0" (431.8mm) WXGA+ (1440x900) TFT color, VibrantView (glossy) CCFL backlight, 200 nits, 16:10 aspect ratio, 500:1 contrast ratio Camera on top of screen, 1.3-megapixel, fixed focus	Windows Live™ Toolbar Easy Capture Microsoft Office 2007 Trial (60-day) Napster™ To Go®
Integrated graphics	Intel Graphics Media Accelerator 4500MHD (GMA 4500MHD), in GM45, HDMI port supporting HDCP to output protected content	WildGames™ Carbonite Online Backup
Keyboard Numeric keypad Game Zone Multimedia control	Full-size keyboard, 6-row, 84-key, multimedia Fn keys Numeric keypad on right of keyboard None sTouch-sensitive audio-video control panel, Shuttle Key	 VeriFace™ Facial Recognition Lenovo Energy Management Software Cyberlink Power2Go (DVD±RW)
Touch pad Dimensions³ Weight² Case color Case material	Two-button touch pad with scroll feature (no TrackPoint®) (WxDxH): 15.5" x 11.2" x 1.22" to 1.53"; 395mm x 285mm x 31 to 39mm with optical drive and battery: 7.9 lb (3.6 kg) Top: dark blue, flat finish; Bottom: black ABS plastic	
Battery - type Battery - life ¹⁰	Lithium Ion 6-cell , 5200 mAH, smart battery, 5-bar battery indicator Up to 3.5 hr	Available at these retailers • lenovo.com
Chipset ExpressCard/54	Mobile Intel GM45 Express Chipset (Graphics Memory Controller Hub), ICH9M I/O Controller Hub (SATA 3.0Gb/s, USB 2.0, PCI Express® 1.1, PCI 2.3, ethernet MAC) One ExpressCard/34 or ExpressCard/54	135-watt AC adapter Wireless on/off switch RoHS-compliant
Multicard reader Ports	6-in-1 reader (MultiMedia Card, Memory Stick, Memory Stick PRO™, Secure Digital Card, Secure Digital Elite Pro Card, xD-Picture Card™) Four USB 2.0, external monitor (VGA DB-15, HDMI), ethernet (RJ-45), IEEE 1394 FireWire 400 (4-pin connector; 1394a-2000 standard)	Limited Warranty¹²
TV tuner Mini PCI Express Intel 5100 ²⁸ Bluetooth™ Modem Ethernet Audio support	None One Mini PCI Express slot 11a/b/g/n wireless ⁴ , Mini PCIe adapter, Intel WiFi Link 5100, 1x2 (Shirley Peak) None None 10/100 ethernet, Broadcom® BCM5906M, PCI 2.3 Intel High Definition (HD) Audio, RealTek® ALC888S codec / two main speakers (2 watt), two secondary speakers (1.5 watt) and subwoofer (3 watt), Dolby Home Theater Speaker System / dual array microphone, microphone input jack (3.5 mm), headphone jack (3.5 mm)	 Service upgrade options (in eligible locations):³ 1-year accidental damage protection via depot 43R8885 3-year Lenovo Onsite Repair¹³ 9x5 Next Business Day 43R8883 3-year Lenovo Onsite Repair¹³ 9x5 Next Business Day with accidental damage protection 43R8884
Security	Power-on password, hard disk password, supervisor password, security keyhole, VeriFace facial recognition software	⇒ 24x7 ¹⁶ toll-free support for warranty issues during the warranty period ¹² via 877-453-6686
Fingerprint reader	None	via 077-455-0000

See footnotes for important warranty information US model announced Septemper 16, 2008

Proc- Type-model essor	GHz Memory	Widescreen display	Discrete graphics	VGA-in	SATA disk(s)	SATA optical	Mini PCle 802.11 wireless	Top color		ENERGY STAR 4.0		Avail date		
4053-2FU T5800 4053-2GU T5800 4053-2CU P7350 4053-2BU P8400 4053-2AU P8400 4053-2EU X9100	2.00 3GB 2.00 3GB 2.26 3GB 2.26 4GB	17.0" WXGA+ 17.0" WXGA+ 17.0" WXGA+ 17.0" WUXGA	HD 3650 HD 3650 HD 3650 HD 3650	VGA-in VGA-in VGA-in	1 x 320GB 1 x 320GB	DVD±RW DVD±RW DVD±RW DVD±RW	* Intel 5100 ²⁸ * Intel 5100	Blue Blue Blue Orange	Keypac	i ES40 ES40	Prem 32 Prem 32 Prem 64 Prem 64 Prem 64	Sep 08 Aug 08 Aug 08 Aug 08		
	 Halo lightii Dark blue of Game Zondand enlarge Integrated helps continuo Dolby® Hot Hot-swap se Lenovo Re 	screen, glossyng that change or valencia ore e with second k 1.3 megapixel rol access to y me Theater™ p secondary dis scue System p to Windows	es color kange colo ange colo ary displa eys on se camera a your note oremium a k capabil	or with glay, user-celect modern and Lendern book by audio systy on se	lossy piano defined key dels ovo's VeriFa recognizin stem with f elect models	finish s, perform ace face re g your fac our speak	nance control ecognition sof ee. ers and one s	switch tware ubwoot						
Processor	800MHz syste Intel Core 2 I Intel HD Boos Intel Core 2 I	2 Duo procestem bus, and 2NDuo processor bit, 1066MHz sy Extreme proce t, 1066MHz sy	MB L2 cac r P7350 o stem bus, essor X91	he or r P8400 v and 3ME 00 with d	with dual-co B L2 cache o lual-core ,	ore, or		- S	ome: Mid Hoi (32 ome: Mid Hoi	rosoft® W me Prem -bit) rosoft Wi me Prem	system ²⁰ /indows® 'i ium Editio ndows Vis ium Editio	Vista® on sta		
Memory	dual-channel	· 4GB std / 4GE capable, two 20 dard memory in	04-pin SO	-DIMM s	ockets;		parity,		sta Prem	-bit) ium logo oplicatio				
SATA DVD±RW Some: DVD burner, dual-layer support, fixed, not removable, 12.7mm, tray-in Some: Blu-ray Disc reader (no Blu-ray media burning), BD-ROM, no HD-DVD playback, DVD recordable, not removable, 12.7mm high, tray-in Primary SATA disk 320GB (5400 rpm) / SATA 1.5Gb/s, 9.5mm high, removable, upgradable Second SATA disk Some: 320GB (5400 rpm) / SATA 1.5Gb/s, 9.5mm high, removable and upgradal hot-swap support, external support via USB cable								 Lenovo™ OneKey Recovery Lenovo ReadyComm Lenovo Idea Central (Premium 64-bit models only) 						
Widescreen	Some: 17.0" Some: 17.0" All: Vibra	lisk bays, 9.5m (431.8mm) WX (431.8mm) WU ntView (glossy p of screen, 1.3	(GA+ (144 JXGA (19 r), 16:10 a	20x1200 spect rat) TFT color, io, 500:1 co	300 nits	neless screen	 Norton Internet Security™ (90 days of virus definitions) Adobe® Reader Windows Live™ Toolbar Easy Capture Microsoft Office 2007 Trial (60-to- 						
	DirectX® 10, A HDMI connec	ĀTI Avivo™ HD, tor, HDCP-com	VGA coni pliant	nector (w	rith VGA-in s			• W	'ildGame	32-bit mo	dels only))		
Numeric keypad	Some: Nume Some: Secor enlarg	oard, 6-row, 84 eric keypad on i ndary display, u ged direction ke	right of ke iser-define eys	yboard ed keys, p	performance	e switch,		• Ve	eriFace™ enovo En oftware	Facial Reergy Mar	ecognition nagement			
Touch pad Dimensions ³ Weight ²	Two-button to (WxDxH): 15.	uch pad with so 5" x 11.2" x 1.2 ive and battery:	croll featur 22" to 1.53	re (no Tra 5"; 395mn	ackPoint®)	x 31 to 39n	nm		u-ray)		`	·		
Case color Case material Battery - type	Top: dark blue ABS plastic Lithium Ion 6-	e or valencia or cell, 5200 mAl	ange, glos	ssy finish	•				able at th	nese retai	lers			
ExpressCard/54	ICH9M I/O Co ethernet MAC One Express(Ćard/34 or Exp	SATA 3.0G ressCard/	b/s, USB 54	3 2.0, PCÍ E>	rpress 1.1,		Wire Som Som		ff switch n/out swi GY STAF	tch R® 4.0-cor	mpliant		
Ports	6-in-1 reader (MultiMedia Card, Memory Stick, Memory Stick PRO™, Secure Digital Card, Secure Digital Elite Pro Card, xD-Picture Card™) Four USB 2.0, external monitor (VGA DB-15, HDMI), modem (RJ-11), ethernet (RJ-45), IEEE 1394 FireWire 400 (4-pin connector; 1394a-2000 standard)									Limited Warranty¹²				
Intel 5100 ²⁸ Bluetooth™ Modem Ethernet Audio support	11a/b/g/n wire Bluetooth 2.1 56K V.92 ⁶ mod 10/100 ethern Intel High Def two main spea subwoofer (3	et, Broadcom [®] inition (HD) Au akers (2 watt), watt), Dolby Ho	e adapter 2.0 interfa BCM590 dio, Real7 two secon ome Thea	ace via IC 6M, PCI ek® ALC idary spe ter Speak	CH9M, LED i 2.3 888S codec eakers (1.5 v ker System /	indicator / vatt) and		(ii	n eligible 1-year ac protection 3-year Lo 9x5 Next 3-year Lo 9x5 Next with acc	location cidental on via de enovo Or Busines enovo Or Busines Busines idental	s): ⁹ damage pot 4: site Repa s Day 4: site Repa s Day	3R8883		
Security	Power-on pas VeriFace facia	crophone, micro sword, hard dis	sk passwo	put jack (ord, supei	3.5 mm), ne rvisor passw	eadphone ja vord, secur	ack (3.5 mm) ity keyhole,				oort for wa	arranty		

Proc- Type-model essor GHz	Widescreen Memory display	Discrete graphics VGA-in	SATA disk(s)	SATA optical	Mini PCle 802.11 wireless	Top color		ENERGY STAR 4.0	Vista preload	Avail date
4053-35U P8400 2.2 4053-32U P8600 2.4	0 4GB 17.0" WUXGA 6 4GB 17.0" WXGA+ 0 3GB 17.0" WUXGA 3 4GB 17.0" WUXGA	HD 3650 VGA-in HD 3650	1 x 320GB 1 x 320GB	DVD±RW DVD±RW		Blue Orange	Keypac Game	I ES40 ES40	Prem 64 Prem 32	Nov 08 Nov 08

- 17.0" widescreen, glossy display
- · Halo lighting that changes color based on processor speed or customer preferences
- Dark blue or valencia orange color with glossy piano finish
- Game Zone with secondary display, user-defined keys, performance control switch and enlarged direction keys on select models
- Integrated 1.3 megapixel camera and Lenovo's VeriFace face recognition software helps control access to your notebook by recognizing your face.
- Dolby[®] Home Theater™ premium audio system with four speakers and one subwoofer
- Hot-swap secondary disk capability on select models
- Lenovo Rescue System provides OneKey recovery and OneKey Antivirus without booting into Windows

Processor	Intel® Core™ 2 Duo processor P7350, P8400, P8600, or T9400 with dual-core, Intel HD Boost, 1066MHz system bus; P7350/P8400/P8600: 3MB L2 cache; T9400: 6MB L2 cache	Preloaded operating system ²⁰ - Some: Microsoft® Windows® Vista® Home Premium Edition
Memory	3GB or 4GB std / 4GB max ⁷ / PC3-8500 1066MHz DDR3 , non-parity, dual-channel capable, two 204-pin SO-DIMM sockets; <i>Italics</i> : standard memory in both sockets; no sockets available	(32-bit) - Some: Microsoft Windows Vista Home Premium Edition (64-bit)
SATA DVD±RW SATA Blu-ray™	Some: DVD burner, dual-layer support, fixed, not removable, 12.7mm, tray-in Some: Blu-ray Disc reader (no Blu-ray media burning), BD-ROM, no HD-DVD playback, DVD recordable, not removable, 12.7mm high, tray-in	Vista Premium logo Preloaded applications ¹⁴
Second SATA disk	320GB (5400 rpm) / SATA 1.5Gb/s, 9.5mm high, removable, upgradable Some: 320GB (5400 rpm) / SATA 1.5Gb/s, 9.5mm high, removable and upgradable, hot-swap support, external support via USB cable	 Lenovo™ OneKey Recovery Lenovo ReadyComm Lenovo Idea Central
Disk bays	Two internal disk bays, 9.5mm high	(Premium 64-bit models only) • Lenovo Idea Notes
Widescreen display Camera	Some: 17.0" (431.8mm) WXGA+ (1440x900) TFT color, 200 nits Some: 17.0" (431.8mm) WXGA (1920x1200) TFT color, 300 nits All: VibrantView (glossy), 16:10 aspect ratio, 500:1 contrast ratio Camera on top of screen, 1.3-megapixel, fixed focus	(Premium 64-bit models only) • Norton Internet Security™ (90 days of virus definitions)
		Adobe® Reader
Discrete graphics	ATI™ Mobility Radeon™ HD 3650 , PCI Express® x16, 512MB memory, DirectX® 10, ATI Avivo™ HD, VGA connector (with VGA-in support on some models), HDMI connector, HDCP-compliant	Windows Live™ Toolbar Easy Capture Microsoft Office 2007 Trial (60-day)
Keyboard Numeric keypad Game Zone	Full-size keyboard, 6-row, 84-key, multimedia Fn keys Some: Numeric keypad on right of keyboard Some: Secondary display, user-defined keys, performance switch,	Napster™ To Go® (Premium 32-bit models only) WildGames™ Carbonite Online Backup
	enlarged direction keys	 Carbonite Online Backup VeriFace™ Facial Recognition
Multimedia control	sTouch-sensitive audio-video control panel, Shuttle Key Two-button touch pad with scroll feature (no TrackPoint®)	Lenovo Energy Management Software
Dimensions ³ Weight ² Case color	(WxDxH): 15.5" x 11.2" x 1.22" to 1.53"; 395mm x 285mm x 31 to 39mm with optical drive and battery: 7.9 lb (3.6 kg) Top: dark blue or valencia orange, glossy finish; Bottom: black	Cyberlink Power2Go (DVD±RW, Blu-ray)
Case material Battery - type Battery - life ¹⁰	ABS plastic Lithium Ion 6-cell , 5200 mAH, smart battery, 5-bar battery indicator Up to 3.5 hr	Available at these retailers • lenovo.com
Chipset	Mobile Intel GM45 Express Chipset (Graphics Memory Controller Hub), ICH9M I/O Controller Hub (SATA 3.0Gb/s, USB 2.0, PCI Express 1.1, PCI 2.3, ethernet MAC)	135-watt AC adapter Wireless on/off switch Some: VGA in/out switch
ExpressCard/54 Multicard reader	One slot (ExpressCard/34, ExpressCard/54) 6-in-1 reader (MultiMedia Card, Memory Stick, Memory Stick PRO™, Secure Digital Card, Secure Digital Elite Pro Card, xD-Picture Card™)	ENERGY STAR® 4.0-compliant RoHS-compliant
Ports	Four USB 2.0, external monitor (VGA DB-15, HDMI), modem (RJ-11), ethernet (RJ-45), IEEE 1394 FireWire 400 (4-pin connector; 1394a-2000 standard)	Limited Warranty ¹²
TV tuner Mini PCI Express Intel 5100 ²⁸ Bluetooth™ Modem Ethernet Audio support	None Three Mini PCI Express slots 11a/b/g/n wireless ⁴ , Mini PCIe adapter, Intel WiFi Link 5100, 1x2 (Shirley Peak) Bluetooth 2.1 wireless, USB 2.0 interface via ICH9M, LED indicator 56K V.92 ⁶ modem 10/100 ethernet, Broadcom® BCM5906M, PCI 2.3 Intel High Definition (HD) Audio, RealTek® ALC888S codec / two main speakers (2 watt), two secondary speakers (1.5 watt) and	Pepar parts aint labor Depot repair service 19 Service upgrade options (in eligible locations):9 1-year accidental damage protection via depot 43R8885 3-year Lenovo Onsite Repair 13 9x5 Next Business Day 43R8883 3-year Lenovo Onsite Repair 13
Security	subwoofer (3 watt), Dolby Home Theater Speaker System / dual array microphone, microphone input jack (3.5 mm), headphone jack (3.5 mm) Power-on password, hard disk password, supervisor password, security keyhole, VeriFace facial recognition software	9x5 Next Business Day with accidental damage protection 43R8884 ⇒ 24x7¹⁶ toll-free support for warranty
Fingerprint reader	NOTE	issues during the warranty period ¹² via 877-453-6686

IdeaPad™ Accessories

Partial list of accessories supported on: IdeaPad S10, U110, U330, Y430, Y510, Y530, Y710, and Y730

_	_			
n.	ЛΩ	m	\sim	r

U110, Y510, and Y710

1GB Y-Series PC2-5300 DDR2 SODIMM 43R1979 ann 09/25/07

Storage and removable storage

ererage arra remerance ererage		
USB 2.0 MyKey E10 Flash Drive 1GB	45J7701	ann 04/29/08
USB 2.0 MyKey E10 Flash Drive 2GB	45J7702	ann 04/29/08
USB 2.0 MyKey E10 Flash Drive 4GB	45J7703	ann 04/29/08
USB 2.0 MiniKey M10D1 Flash 2GB (gray)	45J7752	ann 05/20/08
USB 2.0 MiniKey M10D2 Flash 2GB (black)	45J7754	ann 05/20/08
USB 2.0 MiniKey M10E1 Flash 2GB (teal)	45J7756	ann 05/20/08
USB 2.0 MiniKey M10E2 Flash 2GB (pink)	45J7758	ann 05/20/08
USB 2.0 Essential Memory Key 1GB "	41U4940	ann 01/23/07
USB 2.0 Essential Memory Key 2GB	41U4944	ann 01/23/07
USB 2.0 Essential Memory Key 4GB	45J7904	ann 06/24/08
USB 2.0 Essential Memory Key 8GB	45J7905	ann 07/15/08
USB 2.0 Security Memory Key 1GB	41U5118	ann 07/17/07
USB 2.0 Security Memory Key 2GB	41U5119	ann 07/17/07
USB 2.0 Security Memory Key 4GB	41U5120	ann 07/17/07
USB 2.0 DataSlim E16 Portable HD 160GB	45J7700	ann 04/29/08
USB 2.0 Portable 160GB Hard Disk	43R1784	ann 09/23/08
USB 2.0 Portable Secure 160GB Hard Disk	43R2018	ann 11/18/08
USB 2.0 Portable Secure 320GB Hard Disk	43R2019	ann 11/18/08

Keyboard

Préferred Pro USB Keyboard 73P5220 ann 06/21/05 Enhanced Performance USB Keyboard 73P2620 ann 03/23/04 Wireless Kybd & Opt Wheel Mouse (via USB) 37P4067 ann 12/07/04 USB Keyboard with UltraNav 31P8950 ann 04/27/04

Mouse

Laser Tilt Wheel Mouse (USB, PS/2) 41U3074 ann 01/23/07 IdeaPad Mini Optical Mouse M10 (black) 47J7729 ann 06/17/08 IdeaPad Mini Optical Mouse M10A (black) 45J7730 ann 07/15/08 Lenovo® Mini Optical Mouse M30 (black) 47J7735 ann 06/17/08 Lenovo Mini Optical Mouse M30 (white) 47J7736 ann 06/17/08 Lenovo Mini Optical Mouse M30 (red) 47J7737 ann 06/17/08 Lenovo Mini Optical Mouse M30 (blué) 47J7738 ann 06/17/08 Mini Wireless Laser Mouse N10 (black) 45J7731 ann 06/17/08 Mini Wireless Laser Mouse N10 (red) 45J7732 ann 06/17/08

Batteries

S10

IdeaPad S9/S10 Li-Ion Battery 6-cell (white) 45K2177 ann 12/16/08 IdeaPad S9/S10 Li-Ion Battery 6-cell (black) 45K2178 ann 12/16/08

Y510, Y530, Y710, and Y730

Lenovo Y510/Y710 Li-Ion Battery 6-cell 45J7706 ann 04/29/08

S10

| IdeaPad S9/S10 40W AC Adapter (white) | 45K2200 | ann 11/18/08 | IdeaPad S9/S10 40W AC Adapter (black) | 45K2209 | ann 11/18/08 |

U110 and Y510

IdeaPad 90W Slim AC/DC Combo Adapter 41N8460 ann 12/18/07

U330, Y430, Y510, Y530, and Y730⁴⁵

Lenovo 90W AC Adapter 45J7717 ann 08/12/08

⁴⁵ Only compatible with the integrated graphic models of Y730

Carrying Cases

\$10		
IdeaPad 10" Sleeve S110 (pink and gray)	45K2171	ann 10/14/08

S10, U110 and U330 Women's Executive Red Leather Tote 22P8858

Lenovo Women's Tote L34 (brown) 45J7728 ann 06/03/08

S10, U110, U330, Y430, Y510, and Y530

STO, UT10, U330, Y430, Y570, and Y530
IdeaPad Wenger® Backpack
IdeaPad B450 Backpack (pink)
Lenovo Entry 15" Backpack B10
Lenovo 15" Top Loader T35 (black)
Lenovo Carrying Case - BackPack
Lenovo Carr Case - Performance BackPack
ThinkPad Sleek BackPack

45K1397 ann 10/14/08
45J5468 ann 07/15/08
45J7726 ann 06/03/08
45J7726 ann 06/03/08
45J7726 ann 05/01/07
41U5254 ann 05/01/07

Lenovo Standard Case 45K1697 ann 11/25/08 Lenovo Standard Backpack 45K1698 ann 11/25/08

Monitors

Lenovo® D185 Wide 18.5" Monitor
Lenovo L215 Wide 21.5" Monitor
Lenovo L215 Wide 21.5" Monitor
Lenovo L215 Wide 21.5" Monitor
HinkVision® L174 17" Monitor
ThinkVision L1740p 17" Monitor
ThinkVision L200p Wide 19" Monitor
ThinkVision L2240p Wide 20.1" Monitor
ThinkVision L2240p Wide 24" Monitor
ThinkVision L2440p Wide 24" Monitor
ThinkVision L2440x Wide 24" Monitor
ThinkVision L2440x Wide 24" Monitor
ThinkVision L2440x Wide 24" Monitor

Monitor Accessories⁴⁶

ThinkVision USB Soundbar
ThinkVision Soundbar
Kensington Cable Lock from Lenovo
Kensington Twin Head Cable Lock
ThinkPad Convertible Monitor Stand
Radial Arm

40Y7616 ann 08/23/05
45K1263 ann 09/16/08
45K1620 ann 09/30/03
45K1620 ann 09/30/06
45K1620 ann 09/30/06
40Y7620 ann 01/05/06

⁴⁶ Compatible on selected ThinkVision monitors.

More information at www.lenovo.com/support/monitoraccessories

Consumer monitors

Lenovo L195 Wide 19" LCD Monitor Lenovo L222 Wide 22" LCD Monitor 4418HC1 *ann* 09/02/08 4432HF1 *ann* 09/02/08

Other accessories at www.lenovo.com/accessories

Accessories Guide pdf at www.lenovo.com/accessoriesguide

Availability: All offers subject to availability. Lenovo reserves the right to alter product offerings and specifications at any time, without notice. Lenovo is not responsible for photographic or typographic errors.

Warranty: For a copy of applicable product warranties, write to: Warranty Information, P.O. Box 12195, RTP, NC, 27709, Attn: Dept ZPYA/B676. Lenovo makes no representation or warranty regarding third party products or services.

Footnotes:

- Power management, including Intel® SpeedStep® Technology, reduces processor speed when in battery mode.
- Weight includes battery and standard optical drive; weight may vary due to vendor components, manufacturing process and options.
- Thinness may vary at certain points on the system.
- Wireless capability: Requires compatible wireless-enabled options sold separately.
- Post-warranty annual maintenance agreement: Service begins at the end of the base warranty or the end of any other applied warranty and maintenance option, whichever occurs last. Service delivery is not available the same day the maintenance agreement is purchased. Maintenance agreements must be purchased and the registration successfully completed prior to the service being available.
- Public network download modem speeds are limited to 53Kbps. Upload speeds are limited to 48Kbps for V.92 modems. Actual speeds depend on many factors and are often less than the maximum possible. V.92 functions and speeds require compatible phone line and server equipment. Check with your telephone and ISP service providers for availability.
- Maximum memory capacity may require the replacement of standard component with largest supported component available. On ThinkPad systems, even though it is possible to physically install 4GB of memory, the actual amount of memory addressable by a 32-bit operating system will be limited to 3GB. This limitation does not exist with 64-bit operating systems Windows XP Professional 64-bit and Windows Vista 64-bit Editions.

- B Hard drive: GB = billion bytes, TB = trillion bytes. Accessible capacity is less; up to 4GB is service partition.
- Service upgrade options: Service period begins with the equipment date of purchase. Service must be purchased during the original limited product warranty period. Service levels are response time objectives and are not guarantees.
- ¹⁰ Battery: These model numbers achieved the battery life based on MobileMark® 2007 during testing. Battery life (and recharge times) will vary based on many factors including screen brightness, applications, features, power management, battery conditioning, and other customer preferences.
- Wireless: Based on IEEE 802.11a, 802.11b, and 802.11g respectively. An adapter with 11a/b, 11b/g, or 11a/b/g can communicate on either/any of these listed formats respectively, the actual connection will be based on the access point to which it connects.
- ¹² Limited warranty: Support unrelated to a warranty issue may be subject to additional charges.
- Onsite Repair: If a machine is listed as having "On-site", this means that on-site service is available for the replacement of parts for warranty repairs. Certain parts, referred to as Customer Replaceable Unit ("CRU") parts, are easy to install and require little or no tools or technical knowledge. Some examples of CRU parts are mice, keyboards, hard disk drives, speakers, and memory. If your problem can be resolved with a CRU, the Support Center will offer to ship the part to you for you to install.
- ¹⁴ Included software may differ from its retail version (if available), and may not include user manuals or all program functionality. Software license agreements may apply.
- Modem speeds: Public network download speeds are limited to 53Kbps. Upload speeds are limited to 48Kbps for V.92 modems. Actual speeds depend on many factors and are often less than the maximum possible. V.92 functions and speeds require compatible phone line and server equipment. Check with your telephone and ISP service providers for availability.

- ¹⁶ Response times may vary. May exclude some holidays. Telephone support may be subject to additional charges.
- ¹⁷ International Warranty Service is available for most products in any country in which this product is sold and serviced. Service delivery methods and parts availability vary by country, may be different from that in the country of purchase, and are subject to change without notice. Fees and restrictions may apply in some countries.
- ¹⁸ Telephone support may be subject to additional charges, even during the limited warranty period. Response times may vary and may exclude some holidays.
- Depot repair service: In the United States call 1-877-453-6686. The customer may be asked certain diagnostic questions before a courier is sent. Your purchase includes this depot repair service, available in the U.S. during the limited warranty period.
- Operating System: Level of support varies by operating system. Operating systems not preloaded on the system may not provide full feature functionality. Refer to lenovo.com/pc/support and enter your machine type and model number for more information.
- For combination drives, maximum possible speeds only are given in the following order: CD write, CD rewrite, CD read. DVD read.
- ²² Lenovo Care Services: These services are available for machines normally used for business, professional, or trade purposes, rather than personal, family, or household purposes. Not all machine types and models are covered. Service period begins with the equipment date of purchase. Service must be purchased during the original limited product warranty period. Service levels are response time objectives and are not guarantees. If the machine problem turns out to be a Customer Replaceable Unit (CRU), a part can be express shipped to you for quick replacement. For notebooks requiring LCD or other component replacement. Lenovo may choose to perform service at the depot repair center. Calls must be received by 5 pm local time in order to qualify for Next Business Day service. P&L means parts and labor. P/U means pick-up. See terms and conditions for complete details and restrictions.

- Wireless WAN Cards: Wireless data service requires separate agreement with Verizon Wireless. Verizon Wireless, not Lenovo, is solely responsible for service. Monthly and airtime charges may apply. Service may not be available in all areas; purchaser is responsible for verifying with Verizon Wireless that service is available for the intended location before the purchase of the card. For complete details, including service plans, additional required hardware or software, and service coverage, visit www.verizonwireless.com.
- The IEEE 802.11n specification (MIMO) has not been finalized and is currently in draft release. The Lenovo 11a/b/g/n (11n) Wireless LAN Mini PCI Express Adapters are based on the Draft Release, Version 1.0, of the IEEE 802.11n specification. The maximum speed depends on the access point device and the number of integrated antenna used for connection. An adapter with 11a/b, 11a/b/g, or 11a/b/g/n can communicate on any of its supported formats.



This publication was developed for products and services offered in the United States. Lenovo may not offer the products, services or features discussed in this document in other countries. Lenovo may withdraw an offering at any time. Information is subject to change without notice. Consult your local representative for information on offerings available in your area.

Lenovo reserves the right to change specifications or other product information without notice. Lenovo is not responsible for photographic or typographical errors. LENOVO PROVIDES THIS PUBLICATION "AS IS," WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESS OR IMPLIED, INCLUDING THE IMPLIED WARRANTIES OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE. Some jurisdictions do not allow disclaimer of express or implied warranties in certain transactions, therefore this disclaimer may not apply to you.

Trademarks: Lenovo, the Lenovo logo, New World. New Thinking., Access Connections, Rescue and Recovery, ThinkVantage, and ThinkVision are trademarks of Lenovo. Microsoft, Windows, and Vista are registered trademarks of Microsoft Corporation. Intel, the Intel logo, Intel Inside logo, Intel Atom, Intel Core and Core Inside are trademarks of Intel Corporation in the US and other countries. Other company, product, or service names may be trademarks or service marks of others.

ENERGY STAR: As an ENERGY STAR Partner, Lenovo has determined that this product meets the ENERGY STAR quidelines for energy efficiency.

Visit www.lenovo.com/safecomputing periodically for the latest information on safe and effective computing.

Visit www.lenovo.com/psref for the latest version of Personal Systems Reference.

© Lenovo, 2009. All rights reserved.

> Lenovo 1009 Think Place Morrisville, NC 27560 U.S.A.

February 2009 ipbook.pdf